



# PENTON PRICE LIST 2017

## **\*LOUDSPEAKERS \***

Page 2: Ceiling Speakers PCL, RLS, RNS, CCS

Page 3: Ceiling Speakers RGS, RCS

Page 4: Ceiling Speakers RCS

Page 5: Ceiling Speakers RCS, SCS / Closed Cabinet Speakers JD

Page 6: Wallmount Speakers SENTRY, APC / Marine Speakers PMC

Page 7: Sound Projector CAD, CELL
















Page 8: Sound Projector CELL / Horn Speakers APH, PH




Page 9: Horn Speakers MSH, MHS, MPS / Suspending Spherical Speakers GB

















Page 10: Sound Columns MCS / Design Wallmount Speakers PBC

Page 11: Wallmount Speakers PWC, WWC





Page 12: Wallmount Speakers MWC / Loudspeaker Volume Control VCT

| Article    | CEILING SPEAKER / Low-Cost Celing Speaker, Round, Metal-Plastic                     |   |                    | Preço/unit. | MP |
|------------|---|---|--------------------|-------------|----|
| PCL 5/T    |    | Ceiling Loudspeaker, Round, Plastic, 100V, 6W<br>Dimensions, Ø x Depth: 23x80mm   | RAL9016            | 27,0 €      | 12 |
| PCL 6/T    |    | Ceiling Loudspeaker, Round, Plastic, 100V, 6W<br>Dimensions, Ø x Depth: 23x80mm   | RAL9016            | 31,8 €      | 12 |
| RLS 5/TM   |    | Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 174x65mm  | RAL9016            | 16,6 €      | 24 |
| RLS 5/FTS  |    | Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 174x110mm<br>Firedome, Ceramic Terminal, Thermal Fuse | RAL9016            | 30,0 €      | 12 |
| RLS5FTS/EN |    | Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 174x110mm<br>Firedome, Ceramic Terminal, Thermal Fuse | RAL9016<br>EN54-24 | 36,1 €      | 12 |
| RLS5T/EN   |    | Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 174x65mm<br>Ceramic Terminal, Thermal Fuse            | RAL9016<br>EN54-24 | 26,6 €      | 24 |
| RNS 5/T    |    | Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 180x65mm  | RAL9016            | 21,3 €      | 12 |
| RNS 5/TC   |   | Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 180x65mm<br>Terminal, Thermal Fuse                    | Ceramic<br>RAL9016 | 22,3 €      | 12 |
| RNS 6/T    |  | Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 227x65mm  | RAL9016            | 23,9 €      | 10 |
| RNS 6/TC   |  | Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 227x65mm<br>Terminal, Thermal Fuse                    | Ceramic<br>RAL9016 | 25,2 €      | 10 |
| RNS 8/T    |  | Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 280x78mm  | RAL9016            | 28,4 €      | 10 |
| Article    | CEILING SPEAKER / CCS Ceiling Speaker, Round, Plastic, Bass Reflex                  |   |                    | Preço/unit. | MP |
| CCS 4      |  | PRO Sound Ceiling Loudspeaker, Round, Plastic, 8 Ohm, 30W<br>Dimensions, Ø x Depth: 195.5x206.8mm                           | RAL9016            | 90,2 €      | 4  |
| CCS 6      |  | PRO Sound Ceiling Loudspeaker, Round, Plastic, 8 Ohm, 60W<br>Dimensions, Ø x Depth: 263x214mm                               | RAL9016            | 112,4 €     | 4  |
| CCS 4/T    |  | PRO Sound Ceiling Loudspeaker, Round, Plastic, 100V, 30W<br>Dimensions, Ø x Depth: 195.5x206.8mm                            | RAL9016            | 111,7 €     | 4  |
| CCS 6/T    |  | PRO Sound Ceiling Loudspeaker, Round, Plastic, 100V, 60W<br>Dimensions, Ø x Depth: 263x214mm                                | RAL9016            | 134,0 €     | 4  |

| Article      | CEILING SPEAKER / RGS Bajonet Ceiling Speaker, Round, Metal                         |   |                    | Preço/unit. | MP |
|--------------|---|---|--------------------|-------------|----|
| RGS 5/T      |    | Bayonet Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 190x73mm  | RAL9016            | 24,4 €      | 12 |
| RGS 5/TC     |    | Bayonet Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 190x73mm<br>Ceramic Terminal, Thermal Fuse  | RAL9016            | 28,8 €      | 12 |
| RGS 5/FTS    |    | Bayonet Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 190x94mm<br>Firedome, Ceramic Terminal, Thermal Fuse  | RAL9016            | 34,7 €      | 12 |
| RGS5FT/EN    |    | Bayonet Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 190x94mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse  | RAL9016<br>EN54-24 | 37,0 €      | 12 |
| RGS5FT/ENC   |    | Bayonet Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 190x94mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse, Capacitor   | RAL9016<br>EN54-24 | 38,1 €      | 12 |
| RGS 6/T      |    | Bayonet Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 215x73mm  | RAL9016            | 25,5 €      | 12 |
| RGS 6/TC     |    | Bayonet Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 215x73mm<br>Ceramic Terminal, Thermal Fuse  | RAL9016            | 31,9 €      | 12 |
| RGS 6/FTS    |    | Bayonet Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 215x106mm<br>Firedome, Ceramic Terminal, Thermal Fuse   | RAL9016            | 37,8 €      | 12 |
| RGS6FT/EN    |   | Bayonet Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 215x106mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse   | RAL9016<br>EN54-24 | 38,9 €      | 12 |
| RGS6FT/ENC   |  | Bayonet Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 215x106mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse, Capacitor  | RAL9016<br>EN54-24 | 40,0 €      | 12 |
| RGS 8/FTAB   |  | A/B Bayonet Ceiling LSP, Round, Metal, 100V, 2x6W,<br>Dimensions, Ø x Depth: 265 x 110mm, IP21<br>Firedome, Ceramic Terminal and Thermal Fuse   | RAL9016            | 57,5 €      | 6  |
| RGS8FTABX/EN |  | A/B Ceiling Loudspeaker, Round, Metal, 100V, 2x6W<br>Dimensions, Ø x Depth: 265 x 107mm, IP21<br>Firedome    | RAL9016<br>EN54-24 | 45,6 €      | 6  |
| RGS8FTAB/EN  |  | A/B Ceiling Loudspeaker, Round, Metal, 100V, 2x6W,<br>Dimensions, Ø x Depth: 265 x 107mm, IP21<br>Firedome, Ceramic Terminal and Thermal Fuse              | RAL9016<br>EN54-24 | 47,6 €      | 6  |
| RGS8FTAB/ENC |  | A/B Ceiling Loudspeaker, Round, Metal, 100V, 2x6W,<br>Dimensions, Ø x Depth: 265 x 107mm, IP21<br>Firedome, Ceramic Terminal and Thermal Fuse, Capacitor.  | RAL9016<br>EN54-24 | 49,1 €      | 6  |
| Article      | CEILING SPEAKER / RCS Ceiling Speaker, Round, Metal                                 |   |                    | Preço/unit. | MP |
| RCS 3/T      |  | Ceiling Loudspeaker, Round, Metal, 100V, 3W<br>Dimensions, Ø x Depth: 104.5x85mm  | RAL9016            | 20,7 €      | 20 |
| RCS4/T       |  | Ceiling Loudspeaker, Round, Metal, 100V, 4W<br>Dimensions, Ø x Depth: 132x93mm  | RAL9016            | 27,2 €      | 12 |
| RCS4/FTS     |  | Ceiling Loudspeaker, Round, Metal, 100V, 4W<br>Dimensions, Ø x Depth: 132x111mm<br>Firedome, Ceramic Terminal, Thermal Fuse   | RAL9016            | 36,0 €      | 12 |
| RCS4FT/EN    |  | Ceiling Loudspeaker, Round, Metal, 100V, 4W<br>Dimensions, Ø x Depth: 132x97mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse  | RAL9016<br>EN54-24 | 37,2 €      | 12 |
| RCS4FT/ENC   |  | Ceiling Loudspeaker, Round, Metal, 100V, 4W<br>Dimensions, Ø x Depth: 132x97mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse, Capacitor   | RAL9016<br>EN54-24 | 38,6 €      | 12 |



| Article          | CEILING SPEAKER / RCS Ceiling Speaker, Round, Metal                                 |   |                    | Preço/unit. | MP |
|------------------|---|---|--------------------|-------------|----|
| RCS5/T           |    | Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 189x110mm   | RAL9016            | 32,6 €      | 12 |
| RCS5/TCOAX 10W   |    | Ceiling Loudspeaker, Round, Metal, 100V, 10W, COAX<br>Dimensions, Ø x Depth: 189x110mm  | RAL9016            | 42,6 €      | 12 |
| RCS5/FTS(Q)      |    | Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 189x118mm<br>Firedome, Ceramic Terminal, Thermal Fuse                         | RAL9016            | 42,0 €      | 12 |
| RCS 5/FTSCOAX(Q) |    | Ceiling Loudspeaker, Round, Metal, 100V, 10W, COAX<br>Dimensions, Ø x Depth: 189x180mm<br>Firedome, Ceramic Terminal, Thermal Fuse                  | RAL9016            | 55,9 €      | 12 |
| RCS5FT/EN        |    | Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 189x110mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse                   | RAL9016<br>EN54-24 | 44,3 €      | 12 |
| RCS5FT/ENC       |    | Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 189x110mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse, Capacitor        | RAL9016<br>EN54-24 | 45,9 €      | 12 |
| RCS5FTCX/EN      |    | Ceiling Loudspeaker, Round, Metal, 100V, 10W, COAX<br>Dimensions, Ø x Depth: 189x110mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse            | RAL9016<br>EN54-24 | 56,0 €      | 12 |
| RCS5FTCX/ENC     |    | Ceiling Loudspeaker, Round, Metal, 100V, 10W, COAX<br>Dimensions, Ø x Depth: 189x110mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse, Capacitor | RAL9016<br>EN54-24 | 57,6 €      | 12 |
| RCS6/T           |   | Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 239x110mm   | RAL9016            | 36,9 €      | 10 |
| RCS6/TCOAX 10W   |  | Ceiling Loudspeaker, Round, Metal, 100V, 10W, COAX<br>Dimensions, Ø x Depth: 239x110mm  | RAL9016            | 46,8 €      | 10 |
| RCS 6/FTS(Q)     |  | Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 239x118mm<br>Firedome, Ceramic Terminal, Thermal Fuse                         | RAL9016            | 50,2 €      | 10 |
| RCS 6/FTSCOAX(Q) |  | Ceiling Loudspeaker, Round, Metal, 100V, 10W, COAX<br>Dimensions, Ø x Depth: 239x110mm<br>Firedome, Ceramic Terminal, Thermal Fuse                  | RAL9016            | 63,1 €      | 10 |
| RCS6FT/EN        |  | Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 239x110mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse                   | RAL9016<br>EN54-24 | 52,7 €      | 10 |
| RCS6FT/ENC       |  | Ceiling Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 239x110mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse, Capacitor        | RAL9016<br>EN54-24 | 54,3 €      | 10 |
| RCS6FTCX/EN      |  | Ceiling Loudspeaker, Round, Metal, 100V, 10W, COAX<br>Dimensions, Ø x Depth: 239x110mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse            | RAL9016<br>EN54-24 | 60,1 €      | 10 |
| RCS6FTCX/ENC     |  | Ceiling Loudspeaker, Round, Metal, 100V, 10W, COAX<br>Dimensions, Ø x Depth: 239x110mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse, Capacitor | RAL9016<br>EN54-24 | 64,4 €      | 10 |

| Article         | CEILING SPEAKER / RCS Ceiling Speaker, Round, Metal                                 |   |                    | Preço/unit. | MP |
|-----------------|---|---|--------------------|-------------|----|
| RCS8/T          |    | Ceiling Loudspeaker, Round, Metal,, 100V, 10W<br>Dimensions, Ø x Depth: 280x110mm   | RAL9016            | 48,0 €      | 10 |
| RCS8/TCOAX 20W  |    | Ceiling Loudspeaker, Round, Metal, 100V, 20W, COAX<br>Dimensions, Ø x Depth: 280x110mm  | RAL9016            | 61,6 €      | 10 |
| RCS8/FTS        |    | Ceiling Loudspeaker, Round, Metal, 100V, 10W<br>Dimensions, Ø x Depth: 280x112mm<br>Firedome, Ceramic Terminal, Thermal Fuse                        | RAL9016            | 65,5 €      | 8  |
| RCS8/FTSCOAX 20 |    | Ceiling Loudspeaker, Round, Metal, 100V, 20W, COAX<br>Dimensions, Ø x Depth: 280x112mm<br>Firedome, Ceramic Terminal, Thermal Fuse                  | RAL9016            | 80,0 €      | 8  |
| RCS8FT/EN       |    | Ceiling Loudspeaker, Round, Metal, 100V, 10W<br>Dimensions, Ø x Depth: 280x113mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse                  | RAL9016<br>EN54-24 | 68,9 €      | 8  |
| RCS8FT/ENC      |    | Ceiling Loudspeaker, Round, Metal, 100V, 10W<br>Dimensions, Ø x Depth: 280x113mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse, Capacitor       | RAL9016<br>EN54-24 | 70,5 €      | 8  |
| RCS8FTCX/EN     |    | Ceiling Loudspeaker, Round, Metal, 100V, 20W, COAX<br>Dimensions, Ø x Depth: 280x113mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse            | RAL9016<br>EN54-24 | 81,4 €      | 8  |
| RCS8FTCX/ENC    |    | Ceiling Loudspeaker, Round, Metal, 100V, 20W, COAX<br>Dimensions, Ø x Depth: 280x113mm, IP21<br>Firedome, Ceramic Terminal, Thermal Fuse, Capacitor | RAL9016<br>EN54-24 | 83,0 €      | 8  |
| Article         | CEILING SPEAKER / SCS Ceiling Speaker, Square, Metal                                |   |                    | Preço/unit. | MP |
| SCS5/T          |  | Ceiling Loudspeaker, Square, Metal, 100V, 6W<br>Dimensions, Front & Depth: 184x184x57mm   | RAL9016            | 33,9 €      | 12 |
| SCS6/T          |  | Ceiling Loudspeaker, Square, Metal, 100V, 6W<br>Dimensions, Front & Depth: 220x220x59mm   | RAL9016            | 38,9 €      | 10 |
| Article         | CABINET SPEAKER / JD Closed Cabinet Speaker, ABS, Music                             |   |                    | Preço/unit. | MP |
| JD 20/TB        |  | Cabinet Loudspeaker, ABS Plastic, Music, 100V, 20W<br>Dimensions, Front & Depth: 145x230x150mm  |                    | 78,4 €      | 6  |
| JD 20/TBC       |  | Cabinet Loudspeaker, ABS Plastic, Music, 100V, 20W<br>Dimensions, Front & Depth: 145x230x150mm<br>Ceramic Terminal, Thermal Fuse                    |                    | 85,1 €      | 6  |
| JD 20/TW        |  | Cabinet Loudspeaker, ABS Plastic, Music, 100V, 20W<br>Dimensions, Front & Depth: 145x230x150mm  |                    | 78,4 €      | 6  |

| Article       | WALLMOUNT SPEAKER / SENTRY Wallmount speaker, Metal, Vandalism Se                   |  |                    | Preço/unit. | MP |
|---------------|---|--|--------------------|-------------|----|
| SENTRY 6/STC  |    | Vandalism Secured Cabinet LSP, Square, Metal, 100V, 6W<br>Dimensions, Front x Depth: 190x190x75mm<br>Ceramic Terminal, Thermal Fuse                  | RAL9016            | 63,4 €      | 10 |
| SENTRY6ST/EN  |    | Vandalism Secured Cabinet LSP, Square, Metal, 100V, 6W<br>Dimensions, Front x Depth: 190x190x75mm, IP21<br>Ceramic Terminal, Thermal Fuse            | RAL9016<br>EN54-24 | 65,2 €      | 10 |
| SENTRY6ST/ENC |    | Vandalism Secured Cabinet LSP, Square, Metal, 100V, 6W<br>Dimensions, Front x Depth: 190x190x75mm, IP21<br>Ceramic Terminal, Thermal Fuse, Capacitor | RAL9016<br>EN54-24 | 66,8 €      | 10 |
| SENTRY 6/RTC  |    | Vandalism Secured Cabinet LSP, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 194x75mm<br>Ceramic Terminal, Thermal Fuse                           | RAL9016            | 63,4 €      | 10 |
| SENTRY6RT/EN  |    | Vandalism Secured Cabinet LSP, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 194x75mm, IP21<br>Ceramic Terminal, Thermal Fuse                     | RAL9016<br>EN54-24 | 65,2 €      | 10 |
| SENTRY6RT/ENC |    | Vandalism Secured Cabinet LSP, Round, Metal, 100V, 6W<br>Dimensions, Ø x Depth: 194x75mm, IP21<br>Ceramic Terminal, Thermal Fuse, Capacitor          | RAL9016<br>EN54-24 | 66,8 €      | 10 |
| Article       | WALLMOUNT SPEAKER / APC Wallmount Speaker, Plastic                                  |  |                    | Preço/unit. | MP |
| APC4T/EN      |    | Cabinet Loudspeaker, Moulded Plastic, 100V, 4W<br>Dimensions, WxHxD: 168x116x100mm, IP44<br>Ceramic Terminal, Thermal Fuse                           | RAL9016<br>EN54-24 | 43,0 €      | 10 |
| APC4T/ENC     |   | Cabinet Loudspeaker, Moulded Plastic, 100V, 4W<br>Dimensions, WxHxD: 168x116x100mm, IP44<br>Ceramic Terminal, Thermal Fuse, Capacitor                | RAL9016<br>EN54-24 | 44,5 €      | 10 |
| APC6BT/EN     |  | Cabinet LSP, Bi-Directional, Moulded Plastic, 100V, 2x6W<br>Dimensions, WxHxD: 246x116x100mm, IP44<br>Ceramic Terminal, Thermal Fuse                 | RAL9016<br>EN54-24 | 71,9 €      | 12 |
| APC6BT/ENC    |  | Cabinet LSP, Bi-Directional, Moulded Plastic, 100V, 2x6W<br>Dimensions, WxHxD: 246x116x100mm, IP44<br>Ceramic Terminal, Thermal Fuse, Capacitor      | RAL9016<br>EN54-24 | 73,4 €      | 12 |
| Article       | MARINE WALLMOUNT SPEAKER / PMC Marine Wallmount Speaker, Plast                      |  |                    | Preço/unit. | MP |
| PMC4/T        |  | Marine Cabinet LSP, Square, Moulded Plastic, 100V, 4W<br>Dimensions, WxHxD: 119x119x67.5mm, IP56   | RAL9016            | 29,2 €      | 24 |
| PMC4/TC       |  | Marine Cabinet LSP, Square, Moulded Plastic, 100V, 4W<br>Dimensions, WxHxD: 119x119x67.5mm, IP56<br>Ceramic Terminal, Thermal Fuse                   | RAL9016            | 31,0 €      | 24 |
| PMC4T/EN      |  | Marine Cabinet LSP, Square, Moulded Plastic, 100V, 4W<br>Dimensions, WxHxD: 119x119x84mm, IP56<br>Ceramic Terminal, Thermal Fuse                     | RAL9016<br>EN54-24 | 32,4 €      | 24 |
| PMC4T/ENC     |  | Marine Cabinet LSP, Square, Moulded Plastic, , 100V, 4W<br>Dimensions, WxHxD: 119x119x84mm, IP56<br>Ceramic Terminal, Thermal Fuse, Capacitor        | RAL9016<br>EN54-24 | 33,9 €      | 24 |






















| Article     | SOUND PROJECTOR / CAD Sound Projector, Plastic, Wheatherproof                       |  |                    | Preço/unit. | MP |
|-------------|---|--|--------------------|-------------|----|
| CAD10/T     |    | Sound Projector, Weatherproof, Plastic, 100V, 10W<br>Dimensions, Ø x Depth: 138x204mm, IP66  | RAL9016            | 48,2 €      | 6  |
| CAD10/TC    |    | Sound Projector, Weatherproof, Plastic, 100V, 10W<br>Dimensions, Ø x Depth: 138x204mm, IP66<br>Ceramic Terminal, Thermal Fuse            | RAL9016            | 50,3 €      | 6  |
| CAD10T/EN   |    | Sound Projector, Weatherproof, Plastic, 100V, 10W<br>Dimensions, Ø x Depth: 138x204mm, IP66<br>Ceramic Terminal, Thermal Fuse            | RAL9016<br>EN54-24 | 66,8 €      | 6  |
| CAD10T/ENC  |    | Sound Projector, Weatherproof, Plastic, 100V, 10W<br>Dimensions, Ø x Depth: 138x204mm, IP66<br>Ceramic Terminal, Thermal Fuse, Capacitor | RAL9016<br>EN54-24 | 68,3 €      | 6  |
| CAD20/T     |    | Sound Projector, Weatherproof, Plastic, 100V, 20W<br>Dimensions, Ø x Depth: 138x204mm, IP66  | RAL9016            | 55,6 €      | 6  |
| CAD20/TC    |    | Sound Projector, Weatherproof, Plastic, 100V, 20W<br>Dimensions, Ø x Depth: 138x204mm, IP66<br>Ceramic Terminal, Thermal Fuse            | RAL9016            | 58,0 €      | 6  |
| CAD20T/EN   |    | Sound Projector, Weatherproof, Plastic, 100V, 20W<br>Dimensions, Ø x Depth: 138x204mm, IP66<br>Ceramic Terminal, Thermal Fuse            | RAL9016<br>EN54-24 | 86,6 €      | 6  |
| CAD20T/ENC  |    | Sound Projector, Weatherproof, Plastic, 100V, 20W<br>Dimensions, Ø x Depth: 138x204mm, IP66<br>Ceramic Terminal, Thermal Fuse, Capacitor | RAL9016<br>EN54-24 | 88,1 €      | 6  |
| Article     | SOUND PROJECTOR / CELL Sound Projector, Plastic, Wheatherproof                      |  |                    | Preço/unit. | MP |
| CELL10/T    |  | Sound Projector, Weatherproof, Metal, 100V, 10W<br>Dimensions, Ø x Depth: 140x191mm, IP66  | RAL9016            | 65,1 €      | 6  |
| CELL10TC    |  | Sound Projector, Weatherproof, Metal, 100V, 10W<br>Dimensions, Ø x Depth: 140x191mm, IP66<br>Ceramic Terminal, Thermal Fuse              | RAL9016            | 66,4 €      | 6  |
| CELL10T/EN  |  | Sound Projector, Weatherproof, Metal, 100V, 10W<br>Dimensions, Ø x Depth: 140x191mm, IP66<br>Ceramic Terminal, Thermal Fuse              | RAL9016<br>EN54-24 | 99,9 €      | 6  |
| CELL10T/ENC |  | Sound Projector, Weatherproof, Metal, 100V, 10W<br>Dimensions, Ø x Depth: 140x191mm, IP66<br>Ceramic Terminal, Thermal Fuse, Capacitor   | RAL9016<br>EN54-24 | 101,6 €     | 6  |
| CELL20/T    |  | Sound Projector, Weatherproof, Metal, 100V, 20W<br>Dimensions, Ø x Depth: 140x191mm, IP66  | RAL9016            | 85,3 €      | 6  |
| CELL20TC    |  | Sound Projector, Weatherproof, Metal, 100V, 20W<br>Dimensions, Ø x Depth: 140x191mm, IP66<br>Ceramic Terminal, Thermal Fuse              | RAL9016            | 86,6 €      | 6  |
| CELL20T/EN  |  | Sound Projector, Weatherproof, Metal, 100V, 20W<br>Dimensions, Ø x Depth: 140x191mm, IP66<br>Ceramic Terminal, Thermal Fuse              | RAL9016<br>EN54-24 | 111,3 €     | 6  |
| CELL20T/ENC |  | Sound Projector, Weatherproof, Metal, 100V, 20W<br>Dimensions, Ø x Depth: 140x191mm, IP66<br>Ceramic Terminal, Thermal Fuse, Capacitor   | RAL9016<br>EN54-24 | 112,8 €     | 6  |

| Article      | SOUND PROJECTOR / CELL Sound Projector, Plastic, Wheatherproof                      |  |                    | Preço/unit. | MP |
|--------------|---|--|--------------------|-------------|----|
| CELL10/BDT   |    | Sound Projector, Bi-Dir., Weatherproof, Metal, 100V, 2x10W<br>Dimensions, Ø x Depth: 140x196mm   | RAL9016            | 103,9 €     | 6  |
| CELL10BD/TC  |    | Sound Projector, Bi-Dir. Weatherproof, Metal, 100V, 2x10W<br>Dimensions, Ø x Depth: 140x196mm, IP66<br>Ceramic Terminal, Thermal Fuse            | RAL9016            | 118,1 €     | 6  |
| CELL10BT/EN  |    | Sound Projector, Bi-Dir. Weatherproof, Metal, 100V, 2x10W<br>Dimensions, Ø x Depth: 140x196mm, IP66<br>Ceramic Terminal, Thermal Fuse            | RAL9016<br>EN54-24 | 123,4 €     | 6  |
| CELL10BT/ENC |    | Sound Projector, Bi-Dir. Weatherproof, Metal, 100V, 2x10W<br>Dimensions, WxHxD: 230x192x174mm, IP66<br>Ceramic Terminal, Thermal Fuse, Capacitor | RAL9016<br>EN54-24 | 126,6 €     | 6  |
| CELL20/BDT   |    | Sound Projector, Bi-Dir. Weatherproof, Metal, 100V, 2x20W<br>Dimensions, Ø x Depth: 140x196mm, IP66  | RAL9016            | 122,0 €     | 6  |
| Article      | HORN SPEAKER / APH Horn Speaker, Plastic, Wheatherproof                             |  |                    | Preço/unit. | MP |
| APH10T/ENC   |    | Horn Loudspeaker, Weatherproof, Plastic, 100V, 10W<br>Dimensions, WxHxD: 172x131x227mm, IP66<br>Ceramic Terminal, Thermal Fuse, Capacitor        | RAL9016<br>EN54-24 | 66,6 €      | 12 |
| APH20T/ENC   |    | Horn Loudspeaker, Weatherproof, Plastic, 100V, 20W<br>Dimensions, WxHxD: 219x157x259mm, IP66<br>Ceramic Terminal, Thermal Fuse, Capacitor        | RAL9016<br>EN54-24 | 74,8 €      | 8  |
| APH30T/ENC   |   | Horn Loudspeaker, Weatherproof, Plastic, 100V, 30W<br>Dimensions, WxHxD: 258x180x280mm, IP66<br>Ceramic Terminal, Thermal Fuse, Capacitor        | RAL9016<br>EN54-24 | 98,4 €      | 4  |
| Article      | HORN SPEAKER / PH Horn Speaker, Plastic, Wheatherproof                              |  |                    | Preço/unit. | MP |
| PH10/T       |  | Horn Loudspeaker, Weatherproof, Plastic, 100V, 10W<br>Dimensions, Ø x Depth: 138x200mm, IP66   | RAL7035            | 50,1 €      | 12 |
| PH10/TC      |  | Horn Loudspeaker, Weatherproof, Plastic, 100V, 10W<br>Dimensions, Ø x Depth: 138x200mm, IP66<br>Ceramic Terminal, Thermal Fuse                   | RAL7035            | 52,2 €      | 12 |
| PH20/T       |  | Horn Loudspeaker, Weatherproof, Plastic, 100V, 20W<br>Dimensions, Ø x Depth: 203 x 254mm, IP66   | RAL7035            | 62,3 €      | 8  |
| PH20/TC      |  | Horn Loudspeaker, Weatherproof, Plastic, 100V, 20W<br>Dimensions, Ø x Depth: 203 x 254mm, IP66<br>Ceramic Terminal, Thermal Fuse                 | RAL7035            | 64,3 €      | 8  |
| PH30/T       |  | Horn Loudspeaker, Weatherproof, Plastic, 100V, 30W<br>Dimensions, Ø x Depth: 238x287mm, IP66   | RAL7035            | 86,1 €      | 4  |
| PH30/TC      |  | Horn Loudspeaker, Weatherproof, Plastic, 100V, 30W<br>Dimensions, Ø x Depth: 238x287mm, IP66<br>Ceramic Terminal, Thermal Fuse                   | Ceramic<br>RAL7035 | 88,2 €      | 4  |



| Article                  | HORN SPEAKER / MSH Horn Speaker, Plastic, Wheatherproof, Music                      |  |                    | Preço/unit. | MP |
|--------------------------|---|--|--------------------|-------------|----|
| MSH30/T                  |    | 2-Way Music Horn LSP, Weatherproof, Plastic , 100V, 30W<br>Dimensions, WxHxD: 442x260x288mm, IP66  | RAL7035            | 215,7 €     | 2  |
| MSH30/TC                 |    | 2-Way Music Horn LSP, Weatherproof, Plastic, 100V, 30W<br>Dimensions, WxHxD: 442x260x288mm, IP66<br>Ceramic Terminal, Thermal Fuse                     | RAL7035            | 216,9 €     | 2  |
| MSH30T/EN                |    | 2-Way Music Horn LSP, Weatherproof, Plastic, 100V, 30W<br>Dimensions, WxHxD: 442x260x288mm, IP66<br>Ceramic Terminal, Thermal Fuse                     | RAL9016<br>EN54-24 | 220,5 €     | 2  |
| MSH30T/ENC               |    | 2-Way Music Horn LSP, Weatherproof, Plastic, 100V, 30W<br>Dimensions, WxHxD: 442x260x288mm, IP66<br>Ceramic Terminal, Thermal Fuse, Capacitor          | RAL9016<br>EN54-24 | 223,9 €     | 2  |
| MSH60/T                  |    | 2-Way Music Horn LSP, Weatherproof, Plastic, 100V, 60W<br>Dimensions, WxHxD: 442x260x288mm, IP66   | RAL7035            | 257,5 €     | 2  |
| Article                  | HORN SPEAKER / MHS Horn Speaker, Metal  |  |                    | Preço/unit. | MP |
| MHS20/TC<br>Metal Horn   |    | Horn Loudspeaker, Weatherproof, Metal, 100V, 20W<br>Dimension, front & depth: Ø217x297mm<br>Ceramic Terminal, Thermal Fuse                             | RAL7035            | 92,6 €      | 4  |
| MHS20T/ENC<br>Metal Horn |    | Horn Loudspeaker, Weatherproof, Metal, 100V, 20W<br>Dimension, front & depth: Ø217x297mm , IP66<br>Ceramic Terminal, Thermal Fuse, Capacitor           | RAL9016<br>EN54-24 | 103,1 €     | 4  |
| Article                  | HORN SPEAKER / MPS Horn Speaker, Plastic, Wheatherproof                             |  |                    | Preço/unit. | MP |
| MPS 15/T                 |  | 2-Way Music Projector, Weatherproof, Plastic, 100V, 15W<br>Dimensions, WxHxD: 329x181x297mm, IP55  | RAL7035            | 155,7 €     | 2  |
| MPS 15/TC                |  | 2-Way Music Projector, Weatherproof, Plastic, 100V, 15W<br>Dimensions, WxHxD: 329x181x297mm, IP55<br>Ceramic Terminal, Thermal Fuse                    | RAL7035            | 159,3 €     | 2  |
| MPS15T/ENC               |  | 2-Way Music Projector, Weatherproof, Plastic, 100V, 15W<br>Dimensions, WxHxD: 329x181x297mm, IP65<br>Ceramic Terminal, Thermal Fuse, Capacitor         | RAL9016<br>EN54-24 | 181,3 €     | 2  |
| MPS 30/T                 |  | 2-Way Music Projector, Weatherproof, Plastic, 100V, 30W<br>Dimensions, WxHxD: 329x181x297mm, IP55  | RAL7035            | 195,5 €     | 2  |
| MPS 30/TC                |  | 2-Way Music Projector, Weatherproof, Plastic, 100V, 30W<br>Dimensions, WxHxD: 329x181x297mm, IP55<br>Ceramic Terminal, Thermal Fuse                    | RAL7035            | 199,1 €     | 2  |
| Article                  | SUSPENDING SPHERICAL SPEAKER / GB Suspending Spherical Speaker, Metal –             |  |                    | Preço/unit. | MP |
| GB10/T                   |  | Suspending Spherical Loudspeaker, Metal, 100V, 10W<br>Dimensions, Ø 181mm, incl. Connecting Cable  | RAL9016            | 68,5 €      | 4  |
| GB15T/EN                 |  | Suspending Spherical Loudspeaker, Metal, 100V, 15W<br>Dimensions, Ø 182mm, IP33, without Connecting Cable<br>Ceramic Terminal, Thermal Fuse            | RAL9016<br>EN54-24 | 71,7 €      | 4  |
| GB15T/ENC                |  | Suspending Spherical Loudspeaker, Metal, 100V, 15W<br>Dimensions, Ø 182mm, IP33, without Connecting Cable<br>Ceramic Terminal, Thermal Fuse, Capacitor | RAL9016<br>EN54-24 | 75,3 €      | 4  |
| GB20/T                   |  | Suspending Spherical Loudspeaker, ABS Plastic, 100V, 20W<br>Dimensions, Ø 254mm, IP33, incl. Connecting Cable  | RAL9016            | 77,8 €      | 4  |
| GB20T/EN                 |  | Suspending Spherical Loudspeaker, ABS Plastic, 100V, 20W<br>Dimensions, Ø 254mm, IP33, without Connecting Cable<br>Ceramic Terminal, Thermal Fuse      | RAL9016<br>EN54-24 | 118,2 €     | 4  |

|                |   |  |                    |                    |           |
|----------------|---|--|--------------------|--------------------|-----------|
| GB20T/ENC      |     | Suspending Spherical Loudspeaker, ABS Plastic, 100V, 20W<br>Dimensions, Ø 254mm, IP33, without Connecting Cable<br>Ceramic Terminal, Thermal Fuse, Capacitor | RAL9016<br>EN54-24 | 121,8 €            | 4         |
| <b>Article</b> | <b>SOUND COLUMN SPEAKER / MCS Sound Column Speaker, 2-Way, Metal</b>                |  |                    | <b>Preço/unit.</b> | <b>MP</b> |
| MCS20/TC       |    | 2-Way Column Loudspeaker, Metal, 100V, 20W<br>Dimensions, Front & Depth: 368x98x90mm<br>Ceramic Terminal, Thermal Fuse                                       | RAL9016            | 121,6 €            | 6         |
| MCS20T/EN      |    | 2-Way Column Loudspeaker, Metal, 100V, 20W<br>Dimensions, Front & Depth: 368x98x90mm, IP55<br>Ceramic Terminal, Thermal Fuse                                 | RAL9016<br>EN54-24 | 123,0 €            | 6         |
| MCS20T/ENC     |    | 2-Way Column Loudspeaker, Metal, 100V, 20W<br>Dimensions, Front & Depth: 368x98x90mm, IP55<br>Ceramic Terminal, Thermal Fuse, Capacitor                      | RAL9016<br>EN54-24 | 126,9 €            | 6         |
| MCS40/TC       |    | 2-Way Column Loudspeaker, Metal, 100V, 40W<br>Dimensions, Front & Depth: 615x98x90mm<br>Ceramic Terminal, Thermal Fuse                                       | RAL9016            | 211,1 €            | 4         |
| MCS40T/EN      |    | 2-Way Column Loudspeaker, Metal, 100V, 40W<br>Dimensions, Front & Depth: 615x98x90mm, IP55<br>Ceramic Terminal, Thermal Fuse                                 | RAL9016<br>EN54-24 | 213,9 €            | 4         |
| MCS40T/ENC     |    | 2-Way Column Loudspeaker, Metal, 100V, 40W<br>Dimensions, Front & Depth: 615x98x90mm, IP55<br>Ceramic Terminal, Thermal Fuse, Capacitor                      | RAL9016<br>EN54-24 | 219,3 €            | 4         |
| MCS80/TC       |    | 2-Way Column Loudspeaker, Metal, 100V, 80W<br>Dimensions, Front & Depth: 970x98x90mm<br>Ceramic Terminal, Thermal Fuse                                       | RAL9016            | 381,3 €            | 2         |
| MCS80T/EN      |   | 2-Way Column Loudspeaker, Metal, 100V, 80W<br>Dimensions, Front & Depth: 970x98x90mm, IP55<br>Ceramic Terminal, Thermal Fuse                                 | RAL9016<br>EN54-24 | 392,3 €            | 2         |
| MCS80T/ENC     |  | 2-Way Column Loudspeaker, Metal, 100V, 80W<br>Dimensions, Front & Depth: 970x98x90mm, IP55<br>Ceramic Terminal, Thermal Fuse, Capacitor                      | RAL9016<br>EN54-24 | 396,6 €            | 2         |
| <b>Article</b> | <b>DESIGN WALLMOUNT SPEAKER / PBC Design Wallmount Speaker, Plastic</b>             |  |                    | <b>Preço/unit.</b> | <b>MP</b> |
| PBC6/T         |  | Design Wallmount LSP, Moulded Plastic, 100V, 6W<br>Dimensions, Front & Depth: 330x240x90mm, IP21   | RAL9016            | 46,1 €             | 10        |
| PBC6/TC        |  | Design Wallmount LSP, Moulded Plastic, 100V, 6W<br>Dimensions, Front & Depth: 330x240x90mm, IP21<br>Ceramic Terminal, Thermal Fuse                           | RAL9016            | 51,8 €             | 10        |
| PBC6T/EN       |  | Design Wallmount LSP, Moulded Plastic, 100V, 6W<br>Dimensions, Front & Depth: 330x240x90mm, IP21<br>Ceramic Terminal, Thermal Fuse                           | RAL9016<br>EN54-24 | 57,2 €             | 10        |
| PBC6T/ENC      |  | Design Wallmount LSP, Moulded Plastic, 100V, 6W<br>Dimensions, Front & Depth: 330x240x90mm, IP21<br>Ceramic Terminal, Thermal Fuse, Capacitor                | RAL9016<br>EN54-24 | 58,8 €             | 10        |
| PBC10/TCOAX    |  | Design Wallmount LSP, Moulded Plastic, 100V, 10W, COAX<br>Dimensions, Front & Depth: 330x240x90mm  | RAL9016            | 61,1 €             | 10        |
| PBC10/TCOAXC   |  | Design Wallmount LSP, Moulded Plastic, 100V, 10W, COAX<br>Dimensions, Front & Depth: 330x240x90mm<br>Ceramic Terminal, Thermal Fuse                          | RAL9016            | 66,8 €             | 10        |
| PBC10TCX/EN    |  | Design Wallmount LSP, Moulded Plastic, 100V, 10W, COAX<br>Dimensions, Front & Depth: 330x240x90mm, IP21<br>Ceramic Terminal, Thermal Fuse                    | RAL9016<br>EN54-24 | 73,3 €             | 10        |
| PBC10TCX/ENC   |  | Design Wallmount LSP, Moulded Plastic, 100V, 10W, COAX<br>Dimensions, Front & Depth: 330x240x90mm, IP21<br>Ceramic Terminal, Thermal Fuse, Capacitor         | RAL9016<br>EN54-24 | 74,8 €             | 10        |

| Article     | WALLMOUNT SPEAKER / PWC Wallmount Speaker, Plastic                                  |  |  | Preço/unit. | MP |
|-------------|---|--|--|-------------|----|
| PWC 6/T     |    | Wallmount Loudspeaker, Plastic, 100V, 6W<br>Dimensions, Front & Depth: 233x171x75mm  | RAL9016  | 32,3 €      | 12 |
| PWC 6/TC    |    | Wallmount Loudspeaker, Plastic, 100V, 6W<br>Dimensions, Front & Depth: 233x171x75mm<br>Terminal, Thermal Fuse  | Ceramic RAL9016  | 36,9 €      | 12 |
| PWC6T/EN    |    | Wallmount Loudspeaker, Plastic, 100V, 6W<br>Dimensions, Front & Depth: 233x168x75mm, IP21<br>Ceramic Terminal, Thermal Fuse                              | RAL9016<br>EN54-24   | 43,2 €      | 12 |
| PWC6T/ENC   |    | Wallmount Loudspeaker, Plastic, 100V, 6W<br>Dimensions, Front & Depth: 233x168x75mm, IP21<br>Ceramic Terminal, Thermal Fuse, Capacitor                   | RAL9016<br>EN54-24   | 45,1 €      | 12 |
| Article     | WALLMOUNT SPEAKER / WWC Wallmount Speaker, Wood, Softline-Desiğ                     |  |  | Preço/unit. | MP |
| WWC 6/T     |    | Wallmount Loudspeaker, Softline-Design, Wood, 100V, 6W<br>Dimensions, Front & Depth: 254x195x82mm  | RAL9016  | 30,5 €      | 10 |
| WWC 6/TC    |    | Wallmount Loudspeaker, Softline-Design, Wood, 100V, 6W<br>Dimensions, Front & Depth: 254x195x82mm<br>Ceramic Terminal, Thermal Fuse                      | RAL9016  | 36,7 €      | 10 |
| WWC6T/EN    |    | Wallmount Loudspeaker, Softline-Design, Wood, 100V, 6W<br>Dimensions, Front & Depth: 255 x 196 x 82mm, IP21<br>Ceramic Terminal, Thermal Fuse            |  RAL9016<br>EN54-24   | 34,0 €      | 10 |
| WWC6T/ENC   |   | Wallmount Loudspeaker, Softline-Design, Wood, 100V, 6W<br>Dimensions, Front & Depth: 255 x 196 x 82mm, IP21<br>Ceramic Terminal, Thermal Fuse, Capacitor |  RAL9016<br>EN54-24  | 35,5 €      | 10 |
| WWC6TX/EN   |  | Wallmount Loudspeaker, Softline-Design, Wood, 100V, 6W<br>Dimensions, Front & Depth: 255 x 196 x 82mm, IP21  |  RAL9016<br>EN54-24 | 31,6 €      | 10 |
| WWC 6/TCAB  |  | A/B Wallmount LSP, Softline-Design, Wood, 100V, 2x6W<br>Dimensions, Front & Depth: 255x196x82mm<br>Ceramic Terminal, Thermal Fuse                        | RAL9016  | 53,5 €      | 10 |
| WWC6TABX/EN |  | A/B Wallmount LSP, Softline-Design, Wood, 100V, 2x6W<br>Dimensions, Front & Depth: 255 x 196 x 82mm, IP21  |  RAL9016<br>EN54-24 | 36,1 €      | 10 |
| WWC6TAB/EN  |  | A/B Wallmount LSP, Softline-Design, Wood, 100V, 2x6W<br>Dimensions, Front & Depth: 255 x 196 x 82mm, IP21<br>Ceramic Terminal, Thermal Fuse              |  RAL9016<br>EN54-24 | 38,3 €      | 10 |
| WWC6TAB/ENC |  | A/B Wallmount LSP, Softline-Design, Wood, 100V, 6W<br>Dimensions, Front & Depth: 255 x 196 x 82mm, IP21<br>Ceramic Terminal, Thermal Fuse, Capacitor     |  RAL9016<br>EN54-24 | 39,8 €      | 10 |

| Article   | WALLMOUNT SPEAKER / MWC Wallmount Speaker, Round, Metal                            |   |                    | Preço/unit. | MP |
|-----------|--|---|--------------------|-------------|----|
| MWC 6/T   |   | Wallmount Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø & Depth: 170x75mm  | RAL9016            | 36,4 €      | 12 |
| MWC 6/TC  |   | Wallmount Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø & Depth: 170x75mm<br>Ceramic Terminal, Thermal Fuse                  | RAL9016            | 38,3 €      | 12 |
| MWC6T/EN  |   | Wallmount Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø & Depth: 170x75mm, IP21<br>Ceramic Terminal, Thermal Fuse            | RAL9016<br>EN54-24 | 38,1 €      | 12 |
| MWC6T/ENC |   | Wallmount Loudspeaker, Round, Metal, 100V, 6W<br>Dimensions, Ø & Depth: 170x75mm, IP21<br>Ceramic Terminal, Thermal Fuse, Capacitor | RAL9016<br>EN54-24 | 39,7 €      | 12 |
| Article   | LOUDSPEAKER VOLUME CONTROL VCT   |   |                    | Preço/unit. | MP |
| VCT25     |   | Loudspeaker Volume-Control, 100V, 25W<br>Dimensions: 84x84x54mm, white  |                    | 34,1 €      | 50 |
| VCT25R    |   | Remote Loudspeaker Volume-Control, 100V, 25W<br>Dimensions: 84x84x54mm, white   |                    | 45,7 €      | 50 |
| VCT80     |   | Loudspeaker Volume-Control, 100V, 80W<br>Dimensions: 150x100x80mm, white  |                    | 49,2 €      | 20 |
| VCT80R    |  | Remote Loudspeaker Volume-Control, 100V, 80W<br>Dimensions: 150x100x80mm, white   |                    | 64,9 €      | 20 |

Os preços indicados são unitários

Aos preços indicados acresce IVA á taxa de 23%

[www.supportview.pt](http://www.supportview.pt)

Valido desde 1.9.2017

[www.supportview.pt](http://www.supportview.pt)

Page 12 / 12