



PENTON PRICE LIST 2019

ago/19

***COLUNAS ***

Page 2: Ceiling Speakers; PCL, RLS, RNS, CCS, SCS

Page 3: Ceiling Speakers; RGS, RCS

Page 4: Ceiling Speakers; RCS

Page 5: Cabinet Speakers; JD / Wallmount Speakers; SENTRY, APC / Marine Speakers; PMC, BCL

Page 6: Sound Projector; CAD, CELL











Page 7: Horn Speakers; APH, PH, MSH, MHS, MPS

Page 8: Suspending Spherical Speakers; GB / Sound Columns; MCS

Page 9: Design Wallmount Speakers; PBC / Wallmount Speakers; PWC, WWC

Page 10: Wallmount Speakers; MWC / Loudspeaker Volume Control; VCT

Article	CEILING SPEAKER / Low-Cost Celing Speaker, Round, Plastic				MP	LIST Price
PCL5/T		Ceiling Loudspeaker, Round, Plastic, 100V, 6W Dimensions, Ø x Depth: 203x80mm	RAL9016		12	30,94 €
PCL6/T		Ceiling Loudspeaker, Round, Plastic, 100V, 6W Dimensions, Ø x Depth: 234x80mm	RAL9016		12	36,40 €
Article	CEILING SPEAKER / Low-Cost Celing Speaker, Round, Metal				MP	LIST Price
RLS5/T		Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 174x65mm	RAL9016		24	20,93 €
RLS5/FTS		Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 174x110mm Firedome, Ceramic Terminal, Thermal Fuse	RAL9016		12	34,32 €
RLS5FTS/EN		Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 184x146mm, IP21 Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		12	41,34 €
RLS5T/EN		Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 186x60mm, IP21 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		24	30,42 €
Article	CEILING SPEAKER / Low-Cost Celing Speaker, Round, Metal				MP	LIST Price
RNS5/T		Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 180x65mm	RAL9016		12	24,31 €
RNS6/T		Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 227x65mm	RAL9016		10	27,30 €
RNS8/T		Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 280x78mm	RAL9016		10	32,50 €
Article	CEILING SPEAKER / CCS Ceiling Speaker, Round, Plastic, Bass Reflex				MP	LIST Price
CCS4		PRO Sound Ceiling Loudspeaker, Round, Plastic, 16 Ohm, 30W Dimensions, Ø x Depth: 195.5x206.8mm Bass Reflex	RAL9016		4	103,22 €
CCS6		PRO Sound Ceiling Loudspeaker, Round, Plastic, 16 Ohm, 60W Dimensions, Ø x Depth: 263x214mm Bass Reflex	RAL9016		4	128,57 €
CCS4/T		PRO Sound Ceiling Loudspeaker, Round, Plastic, 100V, 30W Dimensions, Ø x Depth: 195.5x206.8mm Bass Reflex	RAL9016		4	127,79 €
CCS6/T		PRO Sound Ceiling Loudspeaker, Round, Plastic, 100V, 60W Dimensions, Ø x Depth: 263x214mm Bass Reflex	RAL9016		4	153,27 €
Article	CEILING SPEAKER / SCS Ceiling Speaker, Square, Metal				MP	LIST Price
SCS5/T		Ceiling Loudspeaker, Square, Metal, 100V, 6W Dimensions, Front & Depth: 184x184x57mm	RAL9016		12	38,74 €
SCS6/T		Ceiling Loudspeaker, Square, Metal, 100V, 6W Dimensions, Front & Depth: 220x220x59mm	RAL9016		10	44,46 €

Article	CEILING SPEAKER / RGS Bajonet Ceiling Speaker, Round, Metal				MP	
RGS5/T		Bayonet Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 190x73mm	RAL9016		12	27,95 €
RGS5FT/EN		Bayonet Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 190x94mm, IP21 Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		12	42,38 €
RGS5FT/ENC		Bayonet Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 190x94mm, IP21, Capacitor Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		12	45,76 €
RGS6/T		Bayonet Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 215x73mm	RAL9016		12	29,12 €
RGS6FT/EN		Bayonet Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 215x106mm, IP21 Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		12	44,46 €
RGS6FT/ENC		Bayonet Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 215x106mm, IP21, Capacitor Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		12	48,10 €
RGS8FTABX/EN		A/B Ceiling Loudspeaker, Round, Metal, 100V, 2x6W Dimensions, Ø x Depth: 265 x 107mm, IP21 Firedome	RAL9016 EN54-24		6	64,87 €
RGS8FTAB/EN		A/B Ceiling Loudspeaker, Round, Metal, 100V, 2x6W, Dimensions, Ø x Depth: 265 x 107mm, IP21 Firedome, Ceramic Terminal and Thermal Fuse	RAL9016 EN54-24		6	66,30 €
RGS8FTAB/ENC		A/B Ceiling Loudspeaker, Round, Metal, 100V, 2x6W, Dimensions, Ø x Depth: 265 x 107mm, IP21 Firedome, Ceramic Terminal and Thermal Fuse, Capacitor	RAL9016 EN54-24		6	69,29 €
Article	CEILING SPEAKER / RCS Ceiling Speaker, Round, Metal				MP	
RCS3/T		Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 104.5x85mm	RAL9016		20	23,66 €
RCS4/T		Ceiling Loudspeaker, Round, Metal, 100V, 4W Dimensions, Ø x Depth: 132x93mm	RAL9016		12	31,07 €
RCS4FT/EN		Ceiling Loudspeaker, Round, Metal, 100V, 4W Dimensions, Ø x Depth: 132x97mm, IP21 Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		12	42,51 €
RCS4FT/ENC		Ceiling Loudspeaker, Round, Metal, 100V, 4W Dimensions, Ø x Depth: 132x97mm, IP21, Capacitor Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		12	46,41 €
RCS5/T		Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 189x110mm	RAL9016		12	37,31 €
RCS5/TCOAX 10W		Ceiling Loudspeaker, Round, Metal, 100V, 10W, COAX Dimensions, Ø x Depth: 189x110mm	RAL9016		12	48,75 €
RCS5FT/EN		Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 189x110mm, IP21 Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		12	50,70 €
RCS5FT/ENC		Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 189x110mm, IP21, Capacitor Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		12	55,25 €
RCS5FTCX/EN		Ceiling Loudspeaker, Round, Metal, 100V, 10W, COAX Dimensions, Ø x Depth: 189x116mm, IP21 Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		12	64,09 €
RCS5FTCX/ENC		Ceiling Loudspeaker, Round, Metal, 100V, 10W, COAX Dimensions, Ø x Depth: 189x116mm, IP21, Capacitor Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		12	69,29 €


















Article	CEILING SPEAKER / RCS Ceiling Speaker, Round, Metal				MP	
RCS6/T		Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 239x110mm	RAL9016		10	42,25 €
RCS6/TCOAX 10W		Ceiling Loudspeaker, Round, Metal, 100V, 10W, COAX Dimensions, Ø x Depth: 239x110mm	RAL9016		10	53,56 €
RCS6FT/EN		Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 239x110mm, IP21 Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		10	60,32 €
RCS6FT/ENC		Ceiling Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 239x110mm, IP21, Capacitor Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		10	65,26 €
RCS6FTCX/EN		Ceiling Loudspeaker, Round, Metal, 100V, 10W, COAX Dimensions, Ø x Depth: 239x120mm, IP21 Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		10	68,77 €
RCS6FTCX/ENC		Ceiling Loudspeaker, Round, Metal, 100V, 10W, COAX Dimensions, Ø x Depth: 239x120mm, IP21, Capacitor Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		10	77,48 €
RCS8/T		Ceiling Loudspeaker, Round, Metal, 100V, 10W Dimensions, Ø x Depth: 280x110mm	RAL9016		10	54,86 €
RCS8/TCOAX 20W		Ceiling Loudspeaker, Round, Metal, 100V, 20W, COAX Dimensions, Ø x Depth: 280x110mm	RAL9016		10	70,46 €
RCS8FT/EN		Ceiling Loudspeaker, Round, Metal, 100V, 10W Dimensions, Ø x Depth: 280x113mm, IP21 Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		8	78,78 €
RCS8FT/ENC		Ceiling Loudspeaker, Round, Metal, 100V, 10W Dimensions, Ø x Depth: 280x113mm, IP21, Capacitor Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		8	84,63 €
RCS8FTCX/EN		Ceiling Loudspeaker, Round, Metal, 100V, 20W, COAX Dimensions, Ø x Depth: 280x113mm, IP21 Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		8	93,08 €
RCS8FTCX/ENC		Ceiling Loudspeaker, Round, Metal, 100V, 20W, COAX Dimensions, Ø x Depth: 280x113mm, IP21, Capacitor Firedome, Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		8	99,71 €


Article	CABINET SPEAKER / JD Closed Cabinet Speaker, ABS, Music				MP	
JD20/TB		Cabinet Loudspeaker, ABS, Music, 100V, 20W, black Dimensions, Front & Depth: 145x230x150mm			6	89,70 €
JD20/TW		Cabinet Loudspeaker, ABS, Music, 100V, 20W, white Dimensions, Front & Depth: 145x230x150mm			6	89,70 €
Article	WALLMOUNT SPEAKER / SENTRY Wallmount speaker, Metal, Vandalism Secure				MP	
SENTRY6/STC		Vandalism Secured Cabinet LSP, Square, Metal, 100V, 6W Dimensions, Front x Depth: 190x190x75mm Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016		10	72,54 €
SENTRY6ST/EN		Vandalism Secured Cabinet LSP, Square, Metal, 100V, 6W Dimensions, Front x Depth: 190x190x75mm, IP52 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		10	74,62 €
SENTRY6ST/ENC		Vandalism Secured Cabinet LSP, Square, Metal, 100V, 6W Dimensions, Front x Depth: 190x190x75mm, IP52 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		10	80,47 €
SENTRY6/RTC		Vandalism Secured Cabinet LSP, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 194x75mm Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016		10	72,54 €
SENTRY6RT/EN		Vandalism Secured Cabinet LSP, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 194x75mm, IP52 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		10	74,62 €
SENTRY6RT/ENC		Vandalism Secured Cabinet LSP, Round, Metal, 100V, 6W Dimensions, Ø x Depth: 194x75mm, IP52 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		10	80,34 €
SENTRY6STC/AB		A/B Vandalism Secured Square Cabinet LSP, 100V, 2x6W Dimensions, Front x Depth: 190x190x75mm Ceramic Terminal, Thermal Fuse	RAL9016		10	104,78 €
SENTRY6STAB/EN		A/B Vandalism Secured Square Cabinet LSP, 100V, 2x6W Dimensions, Front x Depth: 190x190x75mm Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		10	115,57 €
Article	WALLMOUNT SPEAKER / APC Wallmount Speaker, Plastic				MP	
APC4T/EN		Cabinet Loudspeaker, Moulded Plastic, 100V, 4W Dimensions, Front x Depth: 168x116x100mm, IP44 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		10	49,14 €
APC4T/ENC		Cabinet Loudspeaker, Moulded Plastic, 100V, 4W Dimensions, Front x Depth: 168x116x100mm, IP44 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		10	53,56 €
APC6BT/EN		Cabinet LSP, Bi-Directional, Moulded Plastic, 100V, 6W Dimensions, Front x Depth: 246x116x100mm, IP44 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		12	82,29 €
APC6BT/ENC		Cabinet LSP, Bi-Directional, Moulded Plastic, 100V, 6W Dimensions, Front x Depth: 246x116x100mm, IP44 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		12	88,27 €
Article	MARINE WALLMOUNT SPEAKER / PMC Marine Wallmount Speaker, Plastic				MP	
PMC4/T		Marine Cabinet LSP, Square, Moulded Plastic, 100V, 4W Dimensions, WxHxD: 119x119x67.5mm, IP56	RAL9016		24	33,41 €
PMC4T/EN		Marine Cabinet LSP, Square, Moulded Plastic, 100V, 4W Dimensions, WxHxD: 119x119x84mm, IP56 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		24	37,05 €
PMC4T/ENC		Marine Cabinet LSP, Square, Moulded Plastic, 100V, 4W Dimensions, WxHxD: 119x119x84mm, IP56 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		24	40,69 €
BCL3/T		Bathroom Waterproof Ceiling Speaker, 100V, 6W Dimensions, Ø x Depth: 139x128,5mm, IP55	RAL9016		12	45,37 €

Article	SOUND PROJECTOR / CAD Sound Projector, Plastic, Wheatherproof				MP	
CAD10/T		Sound Projector, Weatherproof, ABS Plastic, 100V, 10W Dimensions, Ø x Depth: 138x204mm, IP66	RAL9016		6	69,16 €
CAD10T/EN		Sound Projector, Weatherproof, ABS Plastic, 100V, 10W Dimensions, Ø x Depth: 138x204mm, IP66 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		6	76,44 €
CAD10T/ENC		Sound Projector, Weatherproof, ABS Plastic, 100V, 10W Dimensions, Ø x Depth: 138x204mm, IP66 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		6	82,16 €
CAD20/T		Sound Projector, Weatherproof, ABS Plastic, 100V, 20W Dimensions, Ø x Depth: 138x204mm, IP66	RAL9016		6	87,23 €
CAD20T/EN		Sound Projector, Weatherproof, ABS Plastic, 100V, 20W Dimensions, Ø x Depth: 138x204mm, IP66 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		6	99,06 €
CAD20T/ENC		Sound Projector, Weatherproof, ABS Plastic, 100V, 20W Dimensions, Ø x Depth: 138x204mm, IP66 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		6	105,82 €
Article	SOUND PROJECTOR / CELL Sound Projector, Metal - Aluminium, Wheatherproof				MP	
CELL10/T		Sound Projector, Weatherproof, Alumium, 100V, 10W Dimensions, Ø x Depth: 140x193mm, IP55	RAL9016		6	74,49 €
CELL10T/EN		Sound Projector, Weatherproof, Alumium, 100V, 10W Dimensions, Ø x Depth: 140x191mm, IP66 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		6	114,27 €
CELL10T/ENC		Sound Projector, Weatherproof, Alumium, 100V, 10W Dimensions, Ø x Depth: 140x191mm, IP66 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		6	122,07 €
CELL20/T		Sound Projector, Weatherproof, Alumium, 100V, 20W Dimensions, Ø x Depth: 140x193mm, IP55	RAL9016		6	97,63 €
CELL20T/EN		Sound Projector, Weatherproof, Alumium, 100V, 20W Dimensions, Ø x Depth: 140x191mm, IP66 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		6	127,27 €
CELL20T/ENC		Sound Projector, Weatherproof, Alumium, 100V, 20W Dimensions, Ø x Depth: 140x191mm, IP66 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		6	135,59 €
Article	SOUND PROJECTOR / CELL Sound Projector, Metal - Aluminium, Wheatherproof				MP	
CELL10/BDT		Sound Projector, Bi-Dir., Weatherproof, Alumium, 100V, 2x10W Dimensions, Ø x Depth: 140x196mm	RAL9016		6	118,82 €
CELL10BT/EN		Sound Projector, Bi-Dir. Weatherproof, Alu, 100V, 2x10W Dimensions, Ø x Depth: 140x196mm, IP55 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		6	141,18 €
CELL10BT/ENC		Sound Projector, Bi-Dir. Weatherproof, Alu, 100V, 2x10W Dimensions, Ø x Depth: 140x196mm, IP55 Ceramic Terminal, Thermal Fuse, capacitor	RAL9016 EN54-24		6	152,10 €
CELL20/BDT		Sound Projector, Bi-Dir. Weatherproof, Alumium, 100V, 2x20W Dimensions, Ø x Depth: 140x196mm, IP55	RAL9016		6	139,62 €

Article	HORN SPEAKER / APH Horn Speaker, Plastic, Wheatherproof				MP	
APH10T/ENC		Horn Loudspeaker, Weatherproof, Plastic, 100V, 10W Dimensions: 172x131x227mm, IP66 Ceramic Terminal, Thermal Fuse, Capacitor	RAL7035 EN54-24		12	76,18 €
APH20T/ENC		Horn Loudspeaker, Weatherproof, Plastic, 100V, 20W Dimensions: 219x157x259mm, IP66 Ceramic Terminal, Thermal Fuse, Capacitor	RAL7035 EN54-24		8	85,54 €
APH30T/ENC		Horn Loudspeaker, Weatherproof, Plastic, 100V, 30W Dimensions: 258x180x280mm, IP66 Ceramic Terminal, Thermal Fuse, Capacitor	RAL7035 EN54-24		4	112,58 €
Article	HORN SPEAKER / PH Horn Speaker, Plastic, Wheatherproof				MP	
PH10/T		Horn Loudspeaker, Weatherproof, Plastic, 100V, 10W Dimensions, Ø x Depth: 138x200mm, IP56	RAL7035		12	57,33 €
PH20/T		Horn Loudspeaker, Weatherproof, Plastic, 100V, 20W Dimensions, Ø x Depth: 203 x 254mm, IP56	RAL7035		8	71,24 €
PH30/T		Horn Loudspeaker, Weatherproof, Plastic, 100V, 30W Dimensions, Ø x Depth: 238x287mm, IP56	RAL7035		4	98,54 €
Article	HORN SPEAKER / MSH Horn Speaker, Plastic, Wheatherproof, Music				MP	
MSH30/T		2-Way Music Horn LSP, Weatherproof, Plastic, 100V, 30W Dimensions: 442x260x288mm, IP66	RAL7035		2	246,74 €
MSH30T/EN		2-Way Music Horn LSP, Weatherproof, Plastic, 100V, 30W Dimensions: 442x260x288mm, IP66 Ceramic Terminal, Thermal Fuse	RAL7035 EN54-24		2	252,20 €
MSH30T/ENC		2-Way Music Horn LSP, Weatherproof, Plastic, 100V, 30W Dimensions: 442x260x288mm, IP66 Ceramic Terminal, Thermal Fuse, Capacitor	RAL7035 EN54-24		2	260,65 €
MSH60/T		2-Way Music Horn LSP, Weatherproof, Plastic, 100V, 60W Dimensions: 442x270x290mm, IP66	RAL7035		2	294,58 €
Article	HORN SPEAKER / MHS Horn Speaker, Metal				MP	
MHS20T/ENC		Horn Loudspeaker, Weatherproof, Metal, 100V, 20W Dimension, Front & Depth: Ø217x297mm, IP66 Ceramic Terminal, Thermal Fuse, Capacitor	RAL7035 EN54-24		4	117,91 €
Article	HORN SPEAKER / MPS Horn Speaker, Plastic, Wheatherproof				MP	
MPS15/T		2-Way Music Projector, Weatherproof, Plastic, 100V, 15W Dimensions: 329x181x297mm, IP33	RAL7035		2	178,10 €
MPS15T/ENC		2-Way Music Projector, Weatherproof, Plastic, 100V, 15W Dimensions: 329x181x297mm, IP33 Ceramic Terminal, Thermal Fuse, Capacitor	RAL7035 EN54-24		2	207,35 €
MPS30/T		2-Way Music Projector, Weatherproof, Plastic, 100V, 30W Dimensions: 329x181x297mm, IP33	RAL7035		2	223,60 €

Article	SUSPENDING SPHERICAL SPEAKER / GB Suspending Spherical Speaker, Metal – Plas				MP	
GB10/T		Suspending Spherical Loudspeaker, Metal, 100V, 10W Dimensions, Ø 181mm, incl. Connecting Cable	RAL9016		4	78,39 €
GB15T/EN		Suspending Spherical Loudspeaker, ABS Plastic, 100V, 15W Dimensions, Ø 182mm, IP33, without Connecting Cable Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		4	82,03 €
GB15T/ENC		Suspending Spherical Loudspeaker, ABS Plastic, 100V, 15W Dimensions, Ø 182mm, IP33, without Connecting Cable Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		4	90,61 €
GB20/T		Suspending Spherical Loudspeaker, ABS Plastic, 100V, 20W Dimensions, Ø 254mm, incl. Connecting Cable	RAL9016		4	89,05 €
GB20T/EN		Suspending Spherical Loudspeaker, ABS Plastic, 100V, 20W Dimensions, Ø 254mm, IP33, without Connecting Cable Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		4	135,20 €
GB20T/ENC		Suspending Spherical Loudspeaker, ABS Plastic, 100V, 20W Dimensions, Ø 254mm, IP33, without Connecting Cable Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		4	146,38 €
Article	SOUND COLUMN SPEAKER / MCS Sound Column Speaker, 2-Way, Metal				MP	
MCS20T/EN		2-Way Column Loudspeaker, Metal, 100V, 20W Dimensions, Front & Depth: 368x98x90mm, IP55 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		6	140,66 €
MCS20T/ENC		2-Way Column Loudspeaker, Metal, 100V, 20W Dimensions, Front & Depth: 368x98x90mm, IP55 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		6	152,49 €
MCS40T/EN		2-Way Column Loudspeaker, Metal, 100V, 40W Dimensions, Front & Depth: 615x98x90mm, IP55 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		4	244,66 €
MCS40T/ENC		2-Way Column Loudspeaker, Metal, 100V, 40W Dimensions, Front & Depth: 615x98x90mm, IP55 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		4	263,51 €
MCS80T/EN		2-Way Column Loudspeaker, Metal, 100V, 80W Dimensions, Front & Depth: 970x98x90mm, IP55 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		2	448,76 €
MCS80T/ENC		2-Way Column Loudspeaker, Metal, 100V, 80W Dimensions, Front & Depth: 970x98x90mm, IP55 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		2	476,45 €

Article	DESIGN WALLMOUNT SPEAKER / PBC Design Wallmount Speaker, Plastic				MP	
PBC6/T		Design Wallmount LSP, ABS, 100V, 6W Dimensions, Front & Depth: 330x240x90mm, IP21	RAL9016		10	52,78 €
PBC6T/EN		Design Wallmount LSP, ABS, 100V, 6W Dimensions, Front & Depth: 330x240x90mm, IP21 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		10	65,39 €
PBC6T/ENC		Design Wallmount LSP, ABS, 100V, 6W Dimensions, Front & Depth: 330x240x90mm, IP21 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		10	70,59 €
PBC10/TCOAX		Design Wallmount LSP, ABS, 100V, 10W, COAX Dimensions, Front & Depth: 330x240x90mm	RAL9016		10	69,94 €
PBC10TCX/EN		Design Wallmount LSP, ABS, 100V, 10W, COAX Dimensions, Front & Depth: 330x240x90mm, IP21 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		10	83,85 €
PBC10TCX/ENC		Design Wallmount LSP, ABS, 100V, 10W, COAX Dimensions, Front & Depth: 330x240x90mm, IP21 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		10	89,83 €
Article	WALLMOUNT SPEAKER / PWC Wallmount Speaker, Plastic				MP	
PWC6/T		Wallmount Loudspeaker, ABS, 100V, 6W Dimensions, Front & Depth: 233x171x75mm, IP21	RAL9016		12	36,92 €
PWC6T/EN		Wallmount Loudspeaker, ABS, 100V, 6W Dimensions, Front & Depth: 231x169x75mm, IP21 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		12	49,40 €
PWC6T/ENC		Wallmount Loudspeaker, ABS, 100V, 6W Dimensions, Front & Depth: 231x169x75mm, IP21 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		12	54,21 €
Article	WALLMOUNT SPEAKER / WWC Wallmount Speaker, MDF Wood, Softline-Design				MP	
WWC6/T		Wallmount Loudspeaker, Softline-Design, MDF Wood, 100V, 6W Dimensions, Front & Depth: 254x195x82mm, IP21	RAL9016		10	34,84 €
WWC6/TRV		Softline Wallmount LSP w. lateral cable inlets, MDF Wood, 100V, 6W, Dim. Front & Depth: 254x195x82mm Voice-Control, Off-Function, Override Relay	RAL9016		10	50,96 €
WWC6TX/EN		Wallmount Loudspeaker, Softline-Design, MDF Wood, 100V, 6W Dimensions, Front & Depth: 255 x 196 x 82mm, IP21	RAL9016 EN54-24		10	36,14 €
WWC6T/EN		Wallmount Loudspeaker, Softline-Design, MDF Wood, 100V, 6W Dimensions, Front & Depth: 255 x 196 x 82mm, IP21 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		10	38,87 €
WWC6T/ENC		Wallmount Loudspeaker, Softline-Design, MDF Wood, 100V, 6W Dimensions, Front & Depth: 255 x 196 x 82mm, IP21 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		10	40,56 €
WWC6TABX/EN		A/B Wallmount LSP, Softline-Design, MDF Wood, 100V, 2x6W Dimensions, Front & Depth: 255 x 196 x 82mm, IP21	RAL9016 EN54-24		10	41,34 €
WWC6TAB/EN		A/B Wallmount LSP, Softline-Design, MDF Wood, 100V, 2x6W Dimensions, Front & Depth: 255 x 196 x 82mm, IP21 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		10	43,81 €
WWC6TAB/ENC		A/B Wallmount LSP, Softline-Design, MDF Wood, 100V, 2x6W Dimensions, Front & Depth: 255 x 196 x 82mm, IP21 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		10	45,50 €

Article	WALLMOUNT SPEAKER / MWC Wallmount Speaker, Round, Metal				MP	
MWC6/T		Wallmount Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø & Depth: 170x75mm	RAL9016		12	41,60 €
MWC6T/EN		Wallmount Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø & Depth: 170x75mm, IP21 Ceramic Terminal, Thermal Fuse	RAL9016 EN54-24		12	43,55 €
MWC6T/ENC		Wallmount Loudspeaker, Round, Metal, 100V, 6W Dimensions, Ø & Depth: 170x75mm, IP21 Ceramic Terminal, Thermal Fuse, Capacitor	RAL9016 EN54-24		12	47,71 €
Article	LOUDSPEAKER VOLUME CONTROL VCT				MP	
VCT25		Loudspeaker Volume-Control, 100V, 25W Dimensions: 84x84x54mm, white			50	39,00 €
VCT25R		Remote Loudspeaker Volume-Control, 100V, 25W Dimensions: 84x84x54mm, white			50	52,26 €
VCT80		Loudspeaker Volume-Control, 100V, 80W Dimensions: 149x87x61mm, white			20	56,29 €
VCT80R		Remote Loudspeaker Volume-Control, 100V, 80W Dimensions: 149x87x61mm, , white			20	74,23 €

Aos Preços indicados acresce IVA