

MODELO	DESCRIÇÃO	PÇ. UNIT.
--------	-----------	-----------

LEITORES DE CD's

DN-500CB

280 €



Bluetooth 3.0 pairing to (8) devices
Slot-loading CD transport
USB host port for file playback
10-button direct track access
3.5mm AUX input for playback from portable players
RS-232c control capable
Compact IR remote control included
Balanced (XLR) and unbalanced (RCA) outputs

CD / MEDIA PLAYER

DN-300ZB

410 €



Super-fast loading, slot-in CD player
Supports removable USB thumb and HDDs, SD/SDHC cards
Wireless audio playback from tablets and smartphones via Bluetooth
Selectable Power-On-Play mode automatically plays USB, SD or CD tracks when powered up — simply turn it on
Up to 100 foot (30m) wireless Bluetooth range
Plays CD-DA, MP3, WAV, and AAC files
3.5mm (1/8-inch) input for audio playback of any audio device with a 3.5mm output
AM/FM Tuner w/ dedicated audio out for multi-room use
RCA and balanced XLR audio outputs
10-key direct track access
Random, repeat, and single play playback modes
Remembers up to 8 Bluetooth devices for simple switching of wireless audio sources
Folder only and All play modes
Lockable front-panel keeps program material from being interrupted
IR controllable with included, compact remote
1RU chassis with removable rack ears
Detachable IEC-weighted AC inlet
100-220v switching power supply

BLUETOOTH AUDIO RECEIVER

DN-300BR

150 €

NOVO



The DN-300BR is a 1RU Bluetooth® 4.0 audio receiver with professional-grade audio outputs enabling the user to add wireless stereo Bluetooth® audio connectivity to any professional audio system. The DN-300BR can store up to (8) devices in its internal memory. The paired Bluetooth® device can send audio via balanced XLR and unbalanced RCA jacks to a mixer, powered loudspeakers or amplification system. The included Bluetooth® antenna can be mounted to the front or rear panel for convenience, and facilitates up to 30m of reception. Ideal for retail, sports bars, education and hotel/conference applications.

MODELO	DESCRIÇÃO	PÇ. UNIT.
--------	-----------	-----------

GRAVADORES DIGITAIS AUDIO SOLID STATE

DN-300R MKII

265 €



Records WAV and Mp3 files to SD and USB media simultaneously
Simple and easy to use
Powers-up in record-ready mode
Ability to record one media at -10dB for a safety track
Balanced and unbalanced inputs and outputs
Compact 1RU design

DN-900R

770 €



Records to SD/SDHC and USB media in MP3 and WAV (up to 24-bit/96kHz)
Dual Record feature (records to two media options simultaneously for primary and backup recording)
DanteTM 2 x 2 network interface for recording and playback
Relay Record feature (continues recording to backup media when primary media is full)
File Archiving via FTP (automatic or timed) with 24/7 record feature
Web Remote for setup and control with password protection

COLUNAS DE TECTO

DN-104S

preço unitário

56 €

Últimas Unidades



Coluna de Tecto de 2 vias, 4" long-excursion woofers
Driver Power: 30 W (RMS) 60 W (Peak)
Frequency response: 80-20kHz
20mm wide dispersion dome tweeter
70/100V transformers for multi-unit installations
Metal rear enclosures meet commercial fire codes
Mounting Bracket Included
EN 54-24 Compliant

COLUNAS DE PAREDE INDOOR/OUTDOOR

DN-205IO

preço PAR

215 €



2-way design - 6.5" woofer and 1" tweeter
70V/100V/8Ω operation
Power handling: 50W (RMS), 100W (PMPO)
Transformer taps at 100V (20W, 40W, 8Ω) and 70V (10W, 20W, 40W, 8Ω)
Weather-resistant design for exterior use
Paintable white cabinet and grille
Adjustable angle wall-mount bracket included

TABELA DE PREÇOS - AGOSTO 2023

MODELO	DESCRIÇÃO	PÇ. UNIT.
--------	-----------	-----------

LEITOR DE BLU-RAY E DVD

DN-500BD MKII

410 €



Plays Blu-Ray, DVD, CD and files from SD/USB media
Supported Blu-Ray disc formats: BD25, BD50, BD-RE, BD-ROM and BD-R
Supported DVD formats: DVD, DVD+R, DVD+RW and DVD-RW
Supported audio disc formats: CD, CD-R, CD-RW, DTS Music Disc (DTS Audio CD, 5.1 Music Disc), HDCD, Super Video CD (SVCD) and Video CD (VCD)
SD/USB supported video, audio and picture file formats: .3gp, .asf, .avi, .dat, .divx, .mkv, .mov, .mp4, .mpg, .m2ts, .ogm, .rmvb, .tp, .ts, .wmv, .ass, .smi, .srt, .ssa, .sub, .ape, .flac, .m4a (AAC), .mp3, .wav, .gif, .jpg (or .jpeg) and .png
USB/SD file systems: FAT16, FAT32 and NTFS
Discrete 7.1ch analog audio output
XLR balanced audio output
RS-232C and IP control capability
Power-on Play button eliminates extra steps, and provides simplified, ultra-fast startup
Panel lock and IR remote lock functions prevent unwanted or accidental operation
Improved, easy-to-read OLED display
OSD (On Screen Display) hiding mode eliminates unwanted menu items and disc transport icons
Transport controls located conveniently on the front panel
Repeat mode offers an uninterrupted playback loop
Occupies only a single rack space (1RU)

HDMI AUDIO EXTRATOR

DN-271HE

166 €

Últimas Unidades



AUDIO EXTRATOR - isolates the encoded audio content from HDMI so it can be routed separately to a mixer or sound reinforcement system.

- Separates audio signals from digitally encoded content
- HDMI and Optical audio input
- Line level Euroblock connectors
- Supports HDMI and Optical audio sampling rates up to 192kHz
- 1080P and 4K2K ready
- Works with current and next generation UHD signals
- EDID switching between 7.1 channel LPCM, Bitstream and TV (external)
- CEC bypass ensures seamless operation with other A/V components

TABELA DE PREÇOS - AGOSTO 2023

MODELO	DESCRIÇÃO	PÇ. UNIT.
--------	-----------	-----------

MISTURADORES

DN-312X

175 €



6 HDHQ™ Combination inputs with MIC, Phantom and Line selector switches
6 mono (3 stereo) RCA Inputs
Mic monitor 1/4" output for private listening of all mic inputs
Balanced XLR line outputs
Mono 1/4" line output can be used to feed audio to external recording device
AC or 24V DC power inputs
Mic 1 Priority Control
Master and Individual level controls
1U rack mountable

AMPLIFICADORES / MISTURADORES

DN-508MXA

825 €

Última Unidade



6 mic/line inputs
4 ST inputs
1 aux input on front and rear
8 zone outputs
4 zone amplifier input
4 zone 4 Ohm / 8 Ohm output or 2 zone 70V/100V/BTL speaker output
Full BTL circuit for balanced output
Professional-grade grounding and sound quality
Remote controllability using TCP/IP, RS-232, and RS-422
3-band equalizer for all inputs
5-band equalizer for all zone outputs
Delay and dynamics function for all zone outputs

AMPLIFICADORES

DN-280

275 €



Class D 100W mono amplifier
Trim one-half rackspace height - rackmountable or stand-alone
Removable feet and option to mount two units together in a 1RU space
Paging microphone input with gain control
Tone and master volume controls
RCA inputs (L/R stereo inputs summed to MONO)
3.5mm (1/8") AUX input
70V/100V/4Ω Euroblock output

MODELO	DESCRIÇÃO	PÇ. UNIT.
--------	-----------	-----------

RANE - MIXERS/SPLITTERS

RM6 - 6-Channel Mixer with Single-Channel 120W Power Amplifier

280 €



Six-channel mixer with a single-channel 120W Class-D amplifier in one rack space
XLR/TRS combo input jacks with phantom power
Two XLR line outputs
Euroblock speaker outputs support 4 Ohm or 70/100V line
Master level control and 3-band equalizer
Mic 1 priority control

MLM82S - Stereo Mic & Line Mixer

350 €



Four balanced Mic/Line Inputs (XLR) with:
15V phantom power
Bi-color signal present / overload indicators
Trimless mic stage amplifiers
A / A+B / B assign switch
Four balanced Stereo Line inputs (1/4: TRS) with:
Independent MONO switch
12dB of line gain
Two balanced Outputs (XLR) with:
Independent Overload indicators
Independent Level controls
Internal pad for Mic level output

MX6S - 6-Channel Splitter / Mixer with Meters abd XLRs

210 €



Used as a 6-channel mixer or 8-output splitter
Perfect for sending a stereo program to separate zones or amplified speaker systems
Create custom mixes utilizing mixed and separate audio feeds
Balanced and unbalanced inputs and outputs (XLR and TRS)
Balance / Pan and level controls with 6-segment LED meters on each mono input channel
Main Link function allows routing the Main Input signal to the Main Output
Main input and output level controls with 6-segment LED meters for each

SM26S - 6-Channel Mixer with Signal Splitter Functionality

280 €



Use as a 6-channel Mixer or multi-channel Splitter
6 balanced mono Inputs, 6 balanced mono Outputs
2 main balanced Inputs, 2 main balanced Outputs
Balance control for each mono channel
6 Input level controls with 6 Mix/Pan controls
Perfect for sending a mono or stereo program to separate zones or amplified speaker systems

MODELO	DESCRIÇÃO	PÇ. UNIT.
--------	-----------	-----------

SERIE SOLUTIONS

DN-202WT



96 €

Últimas Unidades

Emissor Audio sem fios até 30m

XLR and 1/4" audio inputs

Able to broadcast to multiple receivers (sold separately)

External, articulating antennas ensure optimum transmission and reception

Perfect for event spaces, houses of worship, entertainment venues, education, retail, and more

DN-200BR



110 €

Módulo Receptor Bluetooth

Adds Bluetooth to any audio system

Balanced XLR and unbalanced 1/4-inch audio outputs

Up to 33m range

Discreet, robust build quality that can mount nearly anywhere

DN-200WS



96 €

Últimas Unidades

Instantly adds AirPlay and DLNA support to an audio system

Supports .MP3, .AAC, .FLAC, .WAV., .APE, .WMA and more

Supports audio resolutions up to 24-bit, 192 kHz

Up to 28Mbps transmit speed for clear, reliable audio

Balanced XLR and 1/4" audio output

Can be used as a Wireless Access Point for audio or Wireless Station within an existing network

MODELO	DESCRIÇÃO	PÇ. UNIT.
--------	-----------	-----------

RANE - MULTIZONA

Multiprocessadores

HALOGEN

AUDIO SYSTEM DESIGN SOFTWARE

ZONETECH

850 €



Commercial processor for multi-zone, multi-source, remote-controlled applications
Embedded Halogen software requires no programming
Web server provides configuration and control with secure multi-level access
High-resolution color LCD display for simplified operation
Front display screen and rotary push knob allow control of all Zonetech parameters
Stream media using Bluetooth®, AirPlay®, UPnP and DLNA®
(4) unbalanced RCA stereo inputs
(2) balanced mic/line/line-plus inputs
(6) balanced zone outputs
Stereo/Mono zone output with low-pass and high-pass modes
Master remote port for complete control using a Rane DR6 touchscreen
Pager port connects an optional Rane RAD device to provide analog audio and logic inputs
(6) Zone remote ports for source and volume control
LAN port for computer or wireless access to web controls
Logic input available for muting all outputs

RANE - MULTIZONA

Controlo Remotos / Acessórios

DRZH - Remote Level Control with Source Selector


100 €



Wall-mounted digital remote (DR) for use with all Rane multiprocessors, including the new Zonetech audio processor.
The DRZH features source selection and level control through the use of a single knob. It has a sleek black glass design, and the OLED display is easy to read in any environment.

DR6 - Touchscreen Remote

200 €



Fully customizable touchscreen controller
Electrical box or wall flush-mount options
Supports multiple pages or tabs and any set of levels, toggles, selectors and/or commands
Drag, drop and resize controls as desired
RANE RPI (Remote Power Injector - not included) required for use with HAL3s and legacy HAL multiprocessors

Tabela em vigor desde 1 Agosto 2023 anulando todas as anteriores.

A Supportview reserva-se ao direito de alterar qualquer um dos dados apresentados sem aviso prévio.