



CATALOGUE

FEBRUARY 2023

eikon-audio.com



New

EKSBIPOD

**Microphone&Headphone
Studio&Monitoring**

Studio quality USB 2.0 audio interface with 2 In 2 Out for home or mobile recording. High resolution 24-bit/192KHz converters. Zero latency DIRECT MONITORING with STEREO/MONO switch. AUX minijack input/output for direct smartphone podcasting

EAN: 8032496912897



New

EKSBIPOD

**Microphone&Headphone
Studio&Monitoring**

Studio quality USB 2.0 audio interface with 2 In 2 Out for home or mobile recording. High resolution 24-bit/192KHz converters. Zero latency DIRECT MONITORING with STEREO/MONO switch. AUX minijack input/output for direct smartphone podcasting

EAN: 8032496912880



C14

**Microphone&Headphone
Studio&Monitoring**

The C14 condenser microphone is the ideal choice for professional use. 1.1" Mylar capsule with gold-coated surface for an excellent voice and acoustic instruments image. Extended low-frequency range thanks to WIMA capacitors. Integrated shockmount support, windscreen and aluminium case

EAN: 8032496629467



RM8

**Microphone&Headphone
Studio&Monitoring**

The RM8 ribbon microphone is suitable for advanced studio application. Equipped with Double-sided 0,02 mm aluminum foil for an excellent voice and acoustic instruments image. Extended low-frequency range thanks to WIMA capacitors. Integrated shockmount support, windscreen and aluminium case

EAN: 8032496629474



CM14USB

**Microphone&Headphone
Studio&Monitoring**

The CM14USB is a Plug & Play USB/XLR condenser microphone compatible with Microsoft and iOS' computers, and OTG devices. Premium pre-amp and USB 2.0 high speed audio. 24Bit/96kHz sampling. 3,5mm headphone plug, mute button and volume control. Zero latency monitoring. Mic Holder included

EAN: 8032496468189



EKUSBDM1

**Microphone&Headphone
Studio&Monitoring**

EKUSBDM1 is a professional dynamic microphone with USB interface for direct connection to a computer/OTG device and XLR out for connection to a mixer or other equipment. It's the optimal choice for podcasting and home recording. - 48 Khz A/D converter. - 5mt. Mic cable and USB cable included

EAN: 8032496995562



EKUSBX1

**Microphone&Headphone
Studio&Monitoring**

With EKUSBX1, turn your PC or Mac into a recording studio connecting your professional XLR microphone directly to your computer's USB port. This 48 Khz sampling Plug & Play device is automatically recognized by all operating systems and OTG Devices without any additional driver

EAN: 8032496468264



EKSBTWO

**Microphone&Headphone
Studio&Monitoring**

This special package offers everything you need for your live streaming and voice recording applications: EKUSBDM1 - Dynamic microphone with USB interface HFC30 - Multimedia stereo headphones DST40TL - Desktop microphone stand APM20 - Special rubber microphone holder

EAN: 8032496974765



EKSBTWO

**Microphone&Headphone
Studio&Monitoring**

Unleash your creativity and record in high definition with a single package thanks to the CM14USB microphone with interface and the Professional H800 headphones.

EAN: 8032496974772



EKSBTTHREE

Microphone&Headphone Studio&Monitoring

Unleash your creativity and record in high definition with a single package thanks to the CM14USB microphone with interface and the Hi-end H1000 headphones.

EAN: 8032496977094



EK5NF

Microphone&Headphone Studio&Monitoring

EK5NF is the ideal nearfield monitor solution for music production. - 0,75"soft-dome tweeter for detailed HF response. - Proprietary elliptical waveguide. - Long-excursion 5,25" woofer with fiber-glass cone. - HF adjustment for high frequency. - Class AB 25+45W amplifiers with dual LIMITER

EAN: 8032496464167



EK6NF

Microphone&Headphone Studio&Monitoring

EK6NF is the ideal nearfield monitor solution for music production. - 1"soft-dome tweeter for detailed HF response. - Proprietary elliptical waveguide. - Long-excursion 6,5" woofer with fiber-glass cone. - HF adjustment for high frequency. - Class AB 35+60W amplifiers with dual LIMITER

EAN: 8032496464174



EK8NF

Microphone&Headphone Studio&Monitoring

EK8NF is the ideal nearfield monitor solution for music production. - 1"soft-dome tweeter for detailed HF response. - Proprietary elliptical waveguide. - Long-excursion 8" woofer with fiber-glass cone. - HF adjustment for high frequency. - Class AB 45+75W amplifiers with dual LIMITER

EAN: 8032496464181



EK10SW

Microphone&Headphone Studio&Monitoring

EK10SW is an active vented sub-woofer for nearfield monitors LF extension. - Long-excursion 10" woofer with PP cone. - Stereo balanced inputs, outputs and link for MONO/STEREO operation. - Crossover design with HI-CUT and LO-CUT frequency control. - Class AB 150W amplifier with accurate LIMITER

EAN: 8032496464198



H1000

Microphone&Headphone Studio&Monitoring

Professional Closed-back Stereo Headphones with 50 mm neodymium transducers. - H1000 offers unrivaled frequency response and total comfort for an optimal listening experience. - Equipped with double detachable cable. - Soft ear pads. - 32 ohm

EAN: 8032496468271



H800

Microphone&Headphone Studio&Monitoring

The H800 headphones with its 45 mm neodymium transducers offer an unrivaled frequency response and total comfort. - Smooth audio reproduction with deep bass. - Closed-back, design. - Soft ear pads. - 40 ohm

EAN: 8032496629153



H200

Microphone&Headphone Studio&Monitoring

The H200 headphones with its 40 mm neodymium transducers offer an unrivaled frequency response and total comfort. - Smooth audio reproduction with deep bass. - Closed-back, design. - Soft ear pads. - 32 ohm

EAN: 8032496629160



HFJ700

Microphone&Headphone Studio&Monitoring

HFJ700 is a closed dynamic stereo headphones. Black color with silver finishes for an exclusive design. The headphones is equipped with an extensible cable from 2 to 3.5 meters which makes it ideal for use with DJ consoles, Mp3s, iPods, iPhones, CD players. - 64 ohm

EAN: 8032496468325



HFC30

Microphone&Headphone Studio&Monitoring

EIKON HFC30 is a supra-aural dynamic stereo headphone suitable for a multitude of multimedia applications thanks to the wide frequency response. Ideal for all types of music. - Deep and balanced bass. - Maximum authenticity in the reproduction of the voice. - Adjusting headset. - 32 ohm

EAN: 8032496468318



EKD7

Microphone&Headphone Wired Microphones

Specifically engineered for on stage performance, this mic offers smooth, warm sound, superb bass response with exacting precision. The EKD7 minimizes handling noise thanks to capsule's double shock-mount system. - Cardioid polar pattern. - Padded bag and microphone holder included

EAN: 8032496165736



EKD8

Microphone&Headphone Wired Microphones

Optimized for all vocal applications, this mic specifically controls proximity effect making it a great choice for all performers. The EKD8 minimizes handling noise thanks to capsule's double shock-mount system. - Super-Cardioid polar pattern. - Padded bag and microphone holder included

EAN: 8032496165729



EKD9

Microphone&Headphone Wired Microphones

The EKD9 offers an exclusive active handling-noise cancelling system through a build-in patented AHNC hum-bucking capsule. - Special filter to reduce EMI/RFI noise for professional stage performance. - Super-Cardioid polar pattern. - Padded bag and microphone holder included

EAN: 8032496463153



CM500

Microphone&Headphone Wired Microphones

With its 25mm diameter diaphragm, the new CM500 offers the sound and performance of a large large diaphragm studio condenser microphone in a compact, easy-to-position format.

EAN: 8032496468202



CM150

Microphone&Headphone Wired Microphones

The CM150 is a very compact high quality condenser microphone with a unidirectional cardioid polar pattern. Designed for vocals and percussion instruments, it is also suitable for all applications that require very high quality sonic performance and wide frequency response.

EAN: 8032496468196



RTM01

Microphone&Headphone Wired Microphones

The RTM01 is a measurement microphone designed specifically for measuring the performance of speaker systems. It is the ideal complement to combine with spectrum analyzers that allow you to monitor the frequency response and sound pressure levels of the speakers.

EAN: 8032496468370



MFC81

Microphone&Headphone Wired Microphones

The MFC81 is a shotgun condenser microphone for use in video recording, music stands or theater applications. This microphone is extremely light and robust and therefore ideal for mounting on video cameras. It can be used for outdoor or studio applications.

EAN: 8032496014720



DMH8XL

Microphone&Headphone Wired Microphones

8-Piece Drum Microphone Kit with Case. The 8-piece kit includes: DM12 1 pcDM1 4 pcsCM602 3 pcsMIC supports 4 pcsABS case

EAN: 8032496032250



DMH5XL

Microphone&Headphone Wired Microphones

5pcs Drum Microphone Kit with Case. 5-piece kit includes: DM12 1 pcDM1 3 pcsCM602 1 pcsMIC holders 3 pcsABS case

EAN: 8032496014706



DM12

Microphone&Headphone Wired Microphones

The DM12 is a highly efficient dynamic microphone with a frequency response specifically designed for kick drum and other low-frequency rich instruments. It offers outstanding studio quality even in applications with high sound pressure levels.

EAN: 8032496032236



DM1

Microphone&Headphone Wired Microphones

Designed specifically for drums, this microphone is the ideal choice for all percussion instrument applications. Its extremely smooth cardioid polar pattern allows for high gain before feedback and excellent off-axis rejection.

EAN: 8032496032229



CM602

Microphone&Headphone Wired Microphones

The CM602 is a small broad spectrum condenser microphone with a unidirectional cardioid polar pattern. Designed for vocals and percussion instruments, it is also suitable for lecterns and other applications requiring high quality sonic performance.

EAN: 8032496032212



DM580

Microphone&Headphone Wired Microphones

Specifically engineered for on stage performance, this mic offers flat and wide frequency Response. The DM580 is the right choice for clarity, resistance to feedback and ability to handle SPL without distortion.- Cardioid Polar Pattern. - Microphone holder included

EAN: 8032496452553



DM585

Microphone&Headphone Wired Microphones

Specifically engineered for on stage performance, this mic offers flat and wide frequency Response. The DM585 is the right choice for clarity, resistance to feedback and ability to handle SPL without distortion.- Cardioid Polar Pattern. - Microphone holder included

EAN: 8032496014997



DM226

Microphone&Headphone Wired Microphones

Specifically engineered for on stage performance, this mic offers flat and wide frequency Response. The DM226 is the right choice for clarity, resistance to feedback and ability to handle SPL without distortion.- Cardioid Polar Pattern. - Microphone holder included

EAN: 8032496516729



DM580LC

Microphone&Headphone Wired Microphones

This mic offers flat and wide frequency Response. The DM580LC is the right choice for clarity, resistance to feedback and ability to handle SPL without distortion.- Cardioid Polar Pattern. - On/off switch. - 4.5 mt XLR cable and microphone holder included

EAN: 8032496013440



DM220

Microphone&Headphone Wired Microphones

Specifically engineered for on stage performance, this mic offers flat and wide frequency Response. The DM220 is the right choice for clarity, resistance to feedback and ability to handle SPL without distortion.- Cardioid Polar Pattern. - On/off switch. - Microphone holder included

EAN: 8032496422556



DM55V2

**Microphone&Headphone
Wired Microphones**

DM55V2 vintage microphone is a dynamic microphone, with large diaphragm, for an accurate frequency response. - Integrated shock-mount suspension to reduce handling noise. DM55V2 is the right choice for live applications, requiring a vintage style. - Cardioid Polar Pattern. - On-off switch

EAN: 8032496243670



DM55V2RDBK

**Microphone&Headphone
Wired Microphones**

DM55V2RDBK is a vintage dynamic cardioid microphone, with large diaphragm, for a wide frequency response. - Integrated shock-mount suspension to reduce handling noise. DM55V2 is the right choice for live applications, requiring a vintage style. - On-off switch. - Satin Black with red sponge

EAN: 8032496974253



DM55V2BK

**Microphone&Headphone
Wired Microphones**

DM55V2BK is a vintage dynamic cardioid microphone, with large diaphragm, for a wide frequency response. - Integrated shock-mount suspension to reduce handling noise. DM55V2 is the right choice for live applications, requiring a vintage style. - On-off switch. - Satin Black with black sponge

EAN: 8032496974246



New

DM800RD

**Microphone&Headphone
Wired Microphones**

This mic offers flat and wide frequency Response. The DM800 is the right choice for clarity, resistance to feedback and ability to handle SPL without distortion.- Cardioid Polar Pattern. - On/off switch. - 4.5 mt XLR cable included

EAN: 8032496977025



New

DM800WH

**Microphone&Headphone
Wired Microphones**

This mic offers flat and wide frequency Response. The DM800 is the right choice for clarity, resistance to feedback and ability to handle SPL without distortion.- Cardioid Polar Pattern. - On/off switch. - 4.5 mt XLR cable included

EAN: 8032496977049



New

DM800BL

**Microphone&Headphone
Wired Microphones**

This mic offers flat and wide frequency Response. The DM800 is the right choice for clarity, resistance to feedback and ability to handle SPL without distortion.- Cardioid Polar Pattern. - On/off switch. - 4.5 mt XLR cable included

EAN: 8032496977032



New

DM800COLORKIT

**Microphone&Headphone
Wired Microphones**

Kit made of three DM800 dynamic microphones - RED BLUE WHITE Color editionIncludes three microphone holders ABS carrying and storage case

EAN: 8032496977018



DM800

**Microphone&Headphone
Wired Microphones**

This mic offers flat and wide frequency Response. The DM800 is the right choice for clarity, resistance to feedback and ability to handle SPL without distortion.- Cardioid Polar Pattern. - On/off switch. - 4.5 mt XLR cable included

EAN: 8032496032243



DM800KIT

**Microphone&Headphone
Wired Microphones**

Kit made of three DM800 dynamic microphones Includes three microphone holders ABS carrying and storage case

EAN: 8032496014713



HCS20

Microphone&Headphone Wired Microphones

The HCS20 is a clip on microphone for recording wind instruments. The caliper is placed on the bell of a trumpet, saxophone, trombone, tuba or other wind instrument. The cardioid polar pattern allows it to be used on stage in high SPL conditions.

EAN: 8032496875475



HCS30

Microphone&Headphone Wired Microphones

The HCS30 is a lightweight miniature cardioid microphone for use on accordions, guitars and other acoustic stringed instruments and string instruments. The cardioid polar pattern allows it to be used on stage in high SPL conditions.

EAN: 8032496015000



HCM08PRO

Microphone&Headphone Wired Microphones

PROFESSIONAL CONDENSER HEADSET MICROPHONE

EAN: 8032496780786



HCM10V2

Microphone&Headphone Wired Microphones

PROFESSIONAL CONDENSER HEADSET MICROPHONE

EAN: 8032496013433



HCM25

Microphone&Headphone Wired Microphones

HCM25 mini headset microphone is ideally suited for speech applications requiring freedom of movement and optimum fit such as dance and gym instructors. - 4 pole mini XLR connector

EAN: 8032496468288



HCM25AK

Microphone&Headphone Wired Microphones

HCM25AK mini headset microphone is ideally suited for speech applications requiring freedom of movement and optimum fit such as dance and gym instructors. - 3 pole mini XLR connector

EAN: 8032496468295



HCM25SE

Microphone&Headphone Wired Microphones

HCM25SE mini headset microphone is ideally suited for speech applications requiring freedom of movement and optimum fit such as dance and gym instructors. - 3,5 mm jack connector

EAN: 8032496468301




HCM23

Microphone&Headphone Wired Microphones

HCM23 mini headset microphone is ideally suited for speech applications requiring freedom of movement and optimum fit such as dance and gym instructors. - 4 pole mini XLR connector

EAN: 8032496780762



HCM23AK

Microphone&Headphone Wired Microphones

HCM23AK mini headset microphone is ideally suited for speech applications requiring freedom of movement and optimum fit such as dance and gym instructors. - 3 pole mini XLR connector

EAN: 8032496875499



HCM23SE

Microphone&Headphone Wired Microphones

HCM23SE mini headset microphone is ideally suited for speech applications requiring freedom of movement and optimum fit such as dance and gym instructors. - 3,5 mm jack connector

EAN: 8032496875482



LCH370

Microphone&Headphone Wired Microphones

LCH370 is a condenser lavalier microphone suitable for a variety of applications such as stage, dramas, speeches, etc. - 6,5 mm elektret condenser capsule. - Cardioid Polar Pattern. - 3 standard adaptors for use with most of the professional wireless systems. - Wind screen included

EAN: 8032496875468



LCH100AK

Microphone&Headphone Wired Microphones

LCH100AK is a discreet lavalier microphone that provides excellent sound quality in any close-up miking situation. Its omnidirectional polar pattern and small size make it an ideal solution for television, video, theater, church and more. - 3 pole mini XLR connector. - Wind screen included

EAN: 8032496468332



LCH100SE

Microphone&Headphone Wired Microphones

LCH100SE is a discreet lavalier microphone that provides excellent sound quality in any close-up miking situation. Its omnidirectional polar pattern and small size make it an ideal solution for television, video, theater, church and more. - 3,5 mm jack connector. - Wind screen included

EAN: 8032496468349



PHW100

Microphone&Headphone Wired Microphones

The EIKON PHW100 is a low noise line mic preamplifier that provides power for headset and condenser lavalier microphones. The electronics are housed in a metal chassis with a balanced 3-pin female mini XLR input and a balanced 3-pin male XLR output.

EAN: 8032496240167



EKJJ

Microphone&Headphone Wireless Systems

EKJ&J is a UHF wireless guitar system that provides high quality and reliable signal transmission. EKJ&J comes with 3 units: EKJ J compact "connector format" transmitter, compact EKJ&J "connector format" receiver and USB to USB-C charging cable.

EAN: 8032496982593



EKJM

Microphone&Headphone Wireless Systems

EKJ&M is a UHF wireless microphone system that provides high quality and reliable signal transmission. EKJ&M comes with 3 units: EKJ&M portable transmitter, EKJ&M "connector format" compact receiver and USB to USB-C charging cable.

EAN: 8032496982609



RM3000EK

Microphone&Headphone Wireless Systems

RM3000EK in-ear monitor system offers outstanding sound quality and dynamic range. The system allows switching mono or stereo mode. - Integrated limiter for an optimal protection and sound level. - Frequency range 50Hz/15kHz. - Up to 8 hours using alkaline batterie. - ABS case included

EAN: 8032496994251



RM3000EKA

Microphone&Headphone Wireless Systems

RM3000EK in-ear monitor system offers outstanding sound quality and dynamic range. The system allows switching mono or stereo mode. - Integrated limiter for an optimal protection and sound level. - Frequency range 50Hz/15kHz. - Up to 8 hours using alkaline batterie. - ABS case included

EAN: 8032496977315



AETHERRM1MA

**Microphone&Headphone
Wireless Systems**

AETHERRM1M Wireless Microphone is a professional UHF, PLL controlled, true diversity system. It's equipped with channel Scan and IR sync. - 388 channel for simultaneous use of up to 24 units. - 100 meter range. - ABS case. - 514-542 Mhz (AETHERRM1MA). - Handheld transmitter with supercardioid capsule

EAN: 8032496979722



AETHERRM1MB

**Microphone&Headphone
Wireless Systems**

AETHERRM1M Wireless Microphone is a professional UHF, PLL controlled, true diversity system. It's equipped with channel Scan and IR sync. - 388 channel for simultaneous use of up to 24 units. - 100 meter range. - ABS case. - 606-614 Mhz (AETHERRM1MB). - Handheld transmitter with supercardioid capsule

EAN: 8032496979739



AETHERRM1MC

**Microphone&Headphone
Wireless Systems**

AETHERRM1M Wireless Microphone is a professional UHF, PLL controlled, true diversity system. It's equipped with channel Scan and IR sync. - 388 channel for simultaneous use of up to 24 units. - 100 meter range. - ABS case. - 655-679 Mhz (AETHERRM1MC). - Handheld transmitter with supercardioid capsule

EAN: 8032496979746



AETHERRM1MD

**Microphone&Headphone
Wireless Systems**

AETHERRM1M Wireless Microphone is a professional UHF, PLL controlled, true diversity system. It's equipped with channel Scan and IR sync. - 388 channel for simultaneous use of up to 24 units. - 100 meter range. - ABS case. - 823-865 Mhz (AETHERRM1MD). - Handheld transmitter with supercardioid capsule

EAN: 8032496979753



AETHERRM1HA

**Microphone&Headphone
Wireless Systems**

AETHERRM1M Wireless Microphone is a professional UHF, PLL controlled, true diversity system. It's equipped with channel Scan and IR sync. - 388 channel for simultaneous use of up to 24 units. - 100 meter range. - ABS case. - 514-542 Mhz (AETHERRM1MA). - Bodypack transmitter

EAN: 8032496979760



AETHERRM1HB

**Microphone&Headphone
Wireless Systems**

AETHERRM1M Wireless Microphone is a professional UHF, PLL controlled, true diversity system. It's equipped with channel Scan and IR sync. - 388 channel for simultaneous use of up to 24 units. - 100 meter range. - ABS case. - 606-614 Mhz (AETHERRM1MB). - Bodypack transmitter

EAN: 8032496979777



AETHERRM1HC

**Microphone&Headphone
Wireless Systems**

AETHERRM1M Wireless Microphone is a professional UHF, PLL controlled, true diversity system. It's equipped with channel Scan and IR sync. - 388 channel for simultaneous use of up to 24 units. - 100 meter range. - ABS case. - 655-679 Mhz (AETHERRM1MC). - Bodypack transmitter

EAN: 8032496979784



AETHERRM1HD

**Microphone&Headphone
Wireless Systems**

AETHERRM1M Wireless Microphone is a professional UHF, PLL controlled, true diversity system. It's equipped with channel Scan and IR sync. - 388 channel for simultaneous use of up to 24 units. - 100 meter range. - ABS case. - 823-865 Mhz (AETHERRM1MD). - Bodypack transmitter

EAN: 8032496979791



AETHERSPLIT

**Microphone&Headphone
Wireless Systems**

Active UHF antenna distributor - Working frequency: UHF broadband - Power Supply: 110-230V ~ 50 / 60Hz - 12Vdc adapter

EAN: 8032496979821



New

AETHERANT

**Microphone&Headphone
Wireless Systems**

Dipole array directional antenna with cardioid polar pattern featuring a high rejection of RF signals from off-axis areas. Operating range between 470 and 900 Mhz. It can be mounted on a microphone stand, suspended from the ceiling or mounted on the wall.

EAN: 8032496979852



New

AETHERBOOST

**Microphone&Headphone
Wireless Systems**

Antenna amplifier for AETHER wireless systems equipped with inputs and outputs in BNC format.

EAN: 8032496979845



WM700M

**Microphone&Headphone
Wireless Systems**

WM700M wireless microphone is a PLL UHF variable frequency system. - 32 KHz Digital Tone Pilot. - USB Power Adapter. - 823/832 or 512/562 Mhz (WM700MA) frequency range. - 30 meter range. - Up to 4 simultaneous frequencies for each band. - ABS case. - Handheld transmitter with cardioid capsule

EAN: 8032496468486



WM700H

**Microphone&Headphone
Wireless Systems**

WM700H wireless microphone is a PLL UHF variable frequency system. - 32 KHz Digital Tone Pilot. - USB Power Adapter. - 823/832 or 512/562 Mhz (WM700MA) frequency range. - 30 meter range. - Up to 4 simultaneous frequencies each band. - ABS case. - Bodypack transmitter – cardioid headset/lavalier

EAN: 8032496468479



WM700DM

**Microphone&Headphone
Wireless Systems**

WM700DM wireless microphone is a 2 channel PLL UHF variable frequency system. - 32 KHz Digital Tone Pilot. - USB Power Adapter. - 823/832 or 512/562 Mhz (WM700DMA) frequency range. - 30 meter range. - Up to 4 simultaneous frequencies each band. - ABS case. - 2 x Handheld cardioid transmitters

EAN: 8032496468462



WM700DH

**Microphone&Headphone
Wireless Systems**

WM700DH wireless microphone is a 2 channel PLL UHF variable frequency system. - 32 KHz Digital Tone Pilot. - USB Power Adapter. - 823/832 or 512/562 Mhz (WM700DHA) frequency range. - 30 meter range. - Up to 4 simultaneous freq each band. - ABS case. - 2 x Bodypack headset/lavalier transmitters

EAN: 8032496468448



WM700DKIT

**Microphone&Headphone
Wireless Systems**

WM700DKIT wireless microphone is a 2 channel PLL UHF variable frequency system. - 32 KHz Digital Tone Pilot. - USB Power Adapter. - 823/832 or 512/562 Mhz (WM700DKITA) range. - 30 meter range. - Up to 4 simultaneous freq each band. - ABS case. - 1 B.pack headset/lavalier + 1 H.held transmitters

EAN: 8032496468455



WM300M

**Microphone&Headphone
Wireless Systems**

WM300M wireless microphone is a UHF fixed frequency system. - 32 KHz Digital Tone Pilot. - USB Power Adapter. - 823/832 frequency range. - 30 meter range. - Up to 3 simultaneous frequencies for each band. - ABS case. - Handheld transmitter with cardioid capsule

EAN: 8032496468431



WM300H

**Microphone&Headphone
Wireless Systems**

WM300H wireless microphone is a UHF fixed frequency system. - 32 KHz Digital Tone Pilot. - USB Power Adapter. - 823/832 frequency range. - 30 meter range. - Up to 3 simultaneous frequencies each band. - ABS case. - Bodypack transmitter – cardioid headset/lavalier

EAN: 8032496468417



WM300KIT

Microphone&Headphone Wireless Systems

WM300KIT wireless microphone is a UHF fixed frequency system. - 32 Khz Digital Tone Pilot. - USB Power Adapter. - 823/832 frequency range. - 30 meter range. - Up to 3 simultaneous frequencies each band. - ABS case. - 1 Bodypack headset/ lavalier + 1 Handheld cardioid transmitters

EAN: 8032496468424



WM300DM

Microphone&Headphone Wireless Systems

WM300DM wireless microphone is a 2 channel UHF fixed frequency system. - 32 Khz Digital Tone Pilot. - USB Power Adapter. - 823/832 frequency range. - 30 meter range. - Up to 3 simultaneous frequencies each band. - ABS case. - 2 x Handheld cardioid transmitters

EAN: 8032496468400



WM300DH

Microphone&Headphone Wireless Systems

WM300DH wireless microphone is a 2 channel UHF fixed frequency system. - 32 Khz Digital Tone Pilot. - USB Power Adapter. - 823/832 frequency range. - 30 meter range. - Up to 3 simultaneous freq each band. - ABS case. - 2 x Bodypack headset/ lavalier transmitters

EAN: 8032496468394



WM101MV2

Microphone&Headphone Wireless Systems

WM101MV2 wireless microphone is a UHF fixed frequency system. - Digital Encrypting. - 863/865 frequency range. - 30 meter range. - Up to 3 simultaneous frequencies for each band. - ABS case. - Handheld transmitter with cardioid capsule

EAN: 8032496470359



WM101HV2

Microphone&Headphone Wireless Systems

WM101HV2 wireless microphone is a UHF fixed frequency system. - Digital Encrypting. - 863/865 frequency range. - 30 meter range. - Up to 3 simultaneous frequencies each band. - ABS case. - Bodypack transmitter – cardioid headset

EAN: 8032496470366



WM101KITV2

Microphone&Headphone Wireless Systems

WM101KITV2 wireless microphone is a UHF fixed frequency system. - Digital Encrypting. - 863/865 frequency range. - 30 meter range. - Up to 3 simultaneous frequencies each band. - ABS case. - 1 Bodypack headset + 1 Handheld cardioid transmitters

EAN: 8032496470373



WM101DMV2

Microphone&Headphone Wireless Systems

WM101DMV2 wireless microphone is a 2 channel UHF fixed frequency system. - Digital Encrypting. - 863/865 frequency range. - 30 meter range. - Up to 3 simultaneous frequencies each band. - ABS case. - 2 x Handheld cardioid transmitters

EAN: 8032496470380



WM101DHV2

Microphone&Headphone Wireless Systems

WM101DHV2 wireless microphone is a 2 channel UHF fixed frequency system. - Digital Encrypting. - 863/865 frequency range. - 30 meter range. - Up to 3 simultaneous freq each band. - ABS case. - 2 x Bodypack headset transmitters

EAN: 8032496470397



WCS1000RXV2

Microphone&Headphone Conference

The WCS1000 Wireless Conference System offers advanced technology, ease of use and flexibility in a fully modular configuration. As a user or installer, if you are looking for reliability, intuitive operation and versatility, WCS System is the right choice for you.

EAN: 803249641261



WCS1000CV2

Microphone&Headphone Conference

President microphone station for WCS1000 series wireless conference system - Base equipped with removable and rechargeable batteries via the charging case WCS1000CH - PLL UHF transmitter - Unidirectional condenser microphone - Priority key - Three function keys.

EAN: 8032496641278



WCS1000DV2

Microphone&Headphone Conference

Delegate microphone station for WCS1000 series wireless conference system - Base equipped with removable and rechargeable batteries via the charging case WCS1000CH - PLL UHF transmitter - Unidirectional condenser microphone - Three function keys.

EAN: 8032496641285



WCS1000CHV2

Microphone&Headphone Conference

Battery charger case for WCS1000 system - Possibility of recharging 8 microphone stations - Consumption: 100W - Maximum charging current: 700mA - Charging time: about 10 hours - Dimensions (HxLxP): 175x370x370mm - Weight: 5Kg - Transportable with handle.

EAN: 8032496468387



EK100BM

Microphone&Headphone Conference

The EK100BM is a compact, low profile professional phantom powered condenser microphone. It is characterized by an extended and linear frequency response. This elegantly designed microphone can be used by placing it both on a table and on a wall.

EAN: 8032496468219



EK600GCV2

Microphone&Headphone Conference

EK600GCV2 is a cardioid condenser gooseneck microphone designed to be combined with the EKBMG01 microphone base. - Cardioid polar pattern. - 60 cm gooseneck with dual flexible section. - Switch for direct connection to 48V Phantom Power or to EKBMG01 mic base (3V). - Windscreen included

EAN: 8032496995760



EK400GCV2

Microphone&Headphone Conference

EK400GCV2 is a cardioid condenser gooseneck microphone designed to be combined with the EKBMG01 microphone base. - Cardioid polar pattern. - 40 cm gooseneck with dual flexible section. - Switch for direct connection to 48V Phantom Power or to EKBMG01 mic base (3V). - Windscreen included

EAN: 8032496995777



EKBMG01

Microphone&Headphone Conference

EKBMG01 is a professional Microphone base with Touch Sensitive ON/OFF switch and status indicator led screen. The internal metal reinforcement ensures the maximum stability when used. - Rugged Construction and Ergonomic Design. - It can be powered by battery or by Phantom power

EAN: 8032496468257



EK40BMG

Microphone&Headphone Conference

EK40BMG is a professional table microphone, high sensitivity condenser microphone capsule, flexible gooseneck, illuminated ring to indicate operating condition, and on/off switch. Perfect for all PA applications, such as conference and paging. It can be powered by battery or as by Phantom power

EAN: 8032496468233

EIKON

UK

Proel International Ltd.
London

KOREA

Proel Korea Co. Ltd.
Gyeonggi-Do

USA

Proel North America Inc.
Los Angeles

TUNISIE

Proel Tunisia Sarl
Tunisi

EIKON

is a brand of

PROEL SPA

(Worldwide Headquarters)
Via alla Ruenia, 37/43
64027 Sant'Omero (TE) - ITALY
Tel. +39 0861 81241
Fax +39 0861 887862
P.I. 00778590679
N.Reg.AEE IT 08020000002762

eikon-audio.com

